BIOCHIMIE

INDEX

Volume 73
1991

Supplément au n° 1, Vol 74

EDITIONS SCIENTIFIQUES
ELSEVIER

AUTHOR INDEX

A

Aagaard C, Rosendahl G, Dam M, Powers T, Douthwaite S, Specific structural probing of plasmid-coded ribosomal RNAs from *Escherichia coli*, 1439

Abdulkarim F, Tuohy TMF, Buckingham RH, Hughes D, Missense substitutions lethal to essential functions of EF-Tu, 1457

Abrahams JP, Acampo JJC, Kraal B, Bosch L, The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089

Acampo JJC — *See* Abrahams JP *et al*, 1089

Adediran SA, Kinetic properties of normal human erythrocyte glucose-6-phosphate dehydrogenase dimers, 1211

Afonina E, Chichkova N, Bogdanova S, Bogdanov A, 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777

Agris PF, Wobble position modified nucleosides evolved to select transfer RNA codon recognition: a modified-wobble hypothesis, 1345

Ahmadian MR, Kreutzer R, Sprinzl M, Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037

Ahmed H — *See* Chowdhury S *et al*, 563

Aleixandre V — *See* Urios A *et al*, 519

Allard M — *See* Portais JC *et al*, 93

Alonso JC, Lüder G, Characterization of *recF* suppressors in *Bacillus subtilis*, 277

Altamura S — *See* Londei P *et al*, 1465

Alzari PM — *See* Spinelli S *et al*, 1391

Amouyal M, The remote control of transcription, DNA looping and DNA compaction, 1261

Anborgh PH, Cool RH, Gümüsel F, Harmark K, Jacquet E, Weijland A, Mistou MY, Parmeggiani A, Structure-function relationships of elongation factor Tu as studied by mutagenesis, 1051

Andachi Y — *See* Oba T *et al*, 1109

Angulo JF, Rouer E, Benarous R, Devoret R, Identification of a mouse cDNA fragment whose expressed polypeptide reacts with anti-recA antibodies, 251

Ardawi MSM, Metabolism of glucose, glutamine, long-chain fatty acids and ketone bodies by lungs of the rat, 557

Armengod ME — *See* Pérez-Roger I *et al*, 329

Arndt E, Scholzen T, Krömer W, Hatakeyama T, Kimura M, Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657

Aslanian D, Grof P, Bon S, Masson P, Négrerie M, Chatel JM, Balkanski M, Taylor P, Massoulié J, A comparative Raman spectroscopic study of cholinesterases, 1375

Assimacopoulos-Jeannet F, Cusin I, Greco-Perotto RM, Terrettaz J, Rohner-Jeanrenaud F, Zarjevski N, Jeanrenaud B, Glucose transporters: structure, function, and regulation, 67

Atabekov JG — *See* Smirnyagina EV *et al*, 587

Auer J — *See* Yang D *et al*, 679 — ***, Spicker G, Böck A, Presence of a gene in the archaebacterium *Methanococcus vannielii* homologous to *secY* of eubacteria, 683

Auffray Y, Thammavongs B, Boutibonnes P, Identification of a RecA-like protein in *Lactococcus lactis*, 231

B

Baffet G — *See* Fey GH *et al*, 47

Bailone A — ***, Sommer S, Knežević J, Devoret R, Substitution of UmuD' for UmuD does not affect SOS mutagenesis, 471 — ***, Sommer S, Knežević J, Dutreix M, Devoret R, A RecA protein mutant deficient in its interaction with the UmuDC complex, 479

Bakin AV — *See* Shatsky IN *et al*, 937

Balkanski M — *See* Aslanian D *et al*, 1375

Ballesta JPG — *See* Lazaro E *et al*, 1137

Balny C — *See* Frank Jzn J *et al*, 611

Banks JA — *See* Masson P *et al*, 5

Bates H, Bridges BA, Mutagenic DNA repair in *Escherichia coli*. XIX. On the roles of RecA protein in ultraviolet light mutagenesis, 485

Batra PP, Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397

Baudier J — *See* Moog C *et al*, 1321

Baumann H — *See* Fey GH *et al*, 47

Baumann M — *See* Fey GH *et al*, 47

Bayles KW — *See* Yasbin RE *et al*, 245

Bellé R — *See* Morales J *et al*, 1249

Bellon B — *See* Dezan C *et al*, 1417

Benarous R — *See* Angulo JF *et al*, 251

Benight AS, Wilson DH, Budzynski DM, Goldstein RF, Dynamic light scattering investigations of RecA self-assembly and interactions with single strand DNA, 143

Bensch K, Pieper U, Ott G, Schirmer N, Sprinzl M, Pingoud A, How many EF-Tu molecules participate in aminoacyl-tRNA binding? 1045

Bergot MO — *See* Raymondjean M *et al*, 41
Berkovitch-Yellin Z — *See* Eisenstein M *et al*, 879
Berroteran RW — *See* Hampsey M *et al*, 1445
Berteaux V, Rousset JP, Cassan M, UAG readthrough is not increased *in vivo* by Moloney murine leukemia virus infection, 1291
Bielka H — *See* Bommer UA *et al*, 1007
Biran M — *See* Portais JC *et al*, 93
Bischoff P — *See* Moog C *et al*, 1321
Blanco M — *See* Urios A *et al*, 519
Böck A — *See* Yang D *et al*, 679 — *See* Auer J *et al*, 683 — *See* Forchhammer K *et al*, 1481
Boeckh T — *See* Köpke AKE *et al*, 647 — *See* Jahn O *et al*, 669
Boesmiller K — *See* Forchhammer K *et al*, 1481
Bogdanov A — *See* Afonina E *et al*, 777
Bogdanov AA — *See* Shatsky IN *et al*, 937
Bogdanova S — *See* Afonina E *et al*, 777
Boiziau C, Toulmé JJ, Modified oligonucleotides in rabbit reticulocytes: uptake, stability and antisense properties, 1403
Bolotin-Fukuhara M — *See* Valens M *et al*, 1525
Bommer UA, Lutsch G, Stahl J, Bielka H, Eukaryotic initiation factors eIF-2 and EIF-3: interactions, structure and localization in ribosomal initiation complexes, 1007
Bon S — *See* Aslanian D *et al*, 1375
Bosch L — *See* Verbeek H *et al*, 713 — *See* Abrahams JP *et al*, 1089
Bossard P — *See* Girard J *et al*, 71
Bossuet C — *See* Savart M *et al*, 1409
Boublik M — *See* Tumminia SJ *et al*, 919
Boutibonnes P — *See* Auffray Y *et al*, 231
Bradaczek C — *See* Zacharias M *et al*, 699
Brakier-Gingras L — *See* Leclerc D *et al*, 1431
Brandt R, Gualerzi CO, Ribosome-mRNA contact sites at different stages of translation initiation as revealed by cross-linking of model mRNAs, 1543
Branlant C — *See* Myslinski E, 17
Brčić-Kostić K — *See* Trovčević Ž *et al*, 515
Brechner T — *See* Fey GH *et al*, 47
Bridges BA — *See* Bates H, 485
Brimacombe R, RNA-protein interactions in the *Escherichia coli* ribosome, 927
Brodbeck U — *See* Stieger S, 1179
Brönnegård — *See* Okret S *et al*, 51
Brooks BA — *See* Hankinson O *et al*, 61
Brown JW, Pace NR, Structure and evolution of ribonuclease P RNA, 689
Brozmanova J — *See* Cernakova L *et al*, 285
Bubunenko MG — *See* Gudkov AT *et al*, 1387
Buchanan C — *See* Ng C *et al*, 1163
Buckingham RH — *See* Abdulkarim F *et al*, 1457
Buckman C — *See* Lloyd RG, 313
Buck MA, Olah TV, Perrault AR, Cooperman BS, The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769
Budzynski DM — *See* Benight AS *et al*, 143
Butler-Browne GS — *See* Erdos T *et al*, 1219

C

Cachia C, Flamion PJ, Schreiber JP, Fast preparative separation of 'native' core *E coli* 30S ribosomal proteins, 607
Caille JM — *See* Portais JC *et al*, 93
Calmus Y, Poupon R, Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
Canioni P — *See* Portais JC *et al*, 93
Caprini E — *See* Londei P *et al*, 1465
Carpinelli AR — *See* Curi R *et al*, 583
Cassan M — *See* Berteaux V *et al*, 1291
Cayre I — *See* Gonzalez-Jimenez J *et al*, 551
Cazaux C, Larminat F, Defais M, Site-directed mutagenesis in the *Escherichia coli recA* gene, 281
Cenatiempo Y — *See* Laalami S *et al*, 1557
Cernakova L, Fridrichova I, Pirsel M, Kleibl K, Duraj J, Brozmanova J, Expression of the *Escherichia coli recA* gene in the yeast *Saccharomyces cerevisiae*, 285
Chan YL — *See* Wool IG *et al*, 861 — *See* Szewczak AA *et al*, 871
Chardot T, Queiroz-Claret C, Meunier JC, Non reductive activation of spinach chloroplastic fructose-1,6-bisphosphatase: evidence for structural modification of the enzyme, 1205
Charnay P — *See* Gilardi P *et al*, 85
Chatel JM — *See* Aslanian D *et al*, 1375
Chatterjee BP — *See* Chowdhury S *et al*, 563
Chebotareva NA, Kurganov BI, Lyubarev AE, Davydov DR, Pekel ND, Interaction of flavin mononucleotide with dimeric and tetrameric forms of muscle phosphorylase β, 1339
Chen XJ, Wésolowski-Louvel M, Tanguy-Rougeau C, Fukuhara H, Promoter activity associated with the left inverted terminal repeat of the killer plasmid k1 from yeast, 1195
Chichkova N — *See* Afonina E *et al*, 777
Chiu SK — *See* Chow SA *et al*, 157
Chow SA, Chiu SK, Wong BC, RecA protein-promoted homologous pairing between duplex molecules: functional role of duplex regions of gapped duplex DNA, 157
Chowdhury S, Ahmed H, Chatterjee BP, Chemical modification studies of *Artocarpus lakoocha* lectin artocarpin, 563
Chroboczek J — *See* Quivy JP, 1269
Clark AJ — *See* Wang TCV *et al*, 335 — ***, *rec* genes and homologous recombination proteins in *Escherichia coli*, 523
Cognet M — *See* Raymondjean M *et al*, 41
Confort-Gouny S — *See* Kriat M *et al*, 99
Conley J — *See* Englisch-Peters S *et al*, 1501
Cool RH — *See* Anborgh PH *et al*, 1051
Cooperman BS — *See* Buck MA *et al*, 769
Cornut B, Willson RC, Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Cortijo M — *See* Gonzalez-Jimenez J *et al*, 551
Cotton C — *See* Osman F *et al*, 321
Coupé C — *See* Girard J *et al*, 71
Cozzone PJ — *See* Kriat M *et al*, 99
Cramer F, Englisch U, Freist W, Sternbach H, Aminoacylation of tRNAs as critical step of protein biosynthesis, 1027
Crespeau H — *See* Rochu D *et al*, 617
Cryz SJ Jr — *See* Favre D *et al*, 235
Cundliffe E — *See* Thompson J, 1131
Cunningham PR, Richard RB, Weitzmann CJ, Nurse K, Ofengand J, The absence of modified nucleotides affects both *in vitro* assembly and *in vitro* function of the 30S ribosomal subunit of *Escherichia coli*, 789
Curi R, Carpinelli AR, Malaisse WJ, Hexose metabolism in

pancreatic islets: pyruvate carboxylase activity, 583
Cusin I — *See* Assimacopoulos-Jeannet F *et al*, 67

D

Dabbs ER, Mutants lacking individual ribosomal proteins as a tool to investigate ribosomal properties, 639
Dahlberg AE — *See* O'Connor M *et al*, 1493
Daignan-Fornier B — *See* Valens M *et al*, 1525
Dam M — *See* Aagaard C *et al*, 1439
Danchin A — *See* Moszer I *et al*, 1361
Davydov DR — *See* Chebotareva NA *et al*, 1339
Decaux JF — *See* Raymondjean M *et al*, 41 — *See* Girard J *et al*, 71
Defais M — *See* Cazaux C *et al*, 281 — *See* Lesca C *et al*, 407
Dekker PJT, Papadopoulou B, Grivell LA, Properties of an abundant RNA-binding protein in yeast mitochondria, 1487
de la Fournière L — *See* Dezan C *et al*, 1417
De La Vega FM, Mendoza-Figueroa T, Dimethyl sulfoxide enhances lipid synthesis and secretion by long-term cultures of adult rat hepatocytes, 621
Deloulme JC — *See* Moog C *et al*, 1321
de Maat AL — *See* Vreken P *et al*, 729
De Meester I — *See* Scharpe S *et al*, 121
den Hollander JA — *See* Segebarth C *et al*, 105
Denis H — *See* Morales J *et al*, 1249
Denslow ND — *See* Pietromonaco SF *et al*, 827
Derbyshire MK — *See* Fishel R *et al*, 257
de Regt VCHF — *See* Vreken P *et al*, 729
Desgrès J — *See* El Adlouni C *et al*, 1355
De Stasio EA — *See* O'Connor M *et al*, 1493
Devoret R — *See* Angulo JF *et al*, 251 — *See* Bailone A *et al*, 471 — *See* Bailone A *et al*, 479
Dezan C, Rugani N, de la Fournière L, Sarda L, Bellon B, Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
DiCapua E — *See* Ruigrok RWH, 191 — *See* Timmins PA *et al*, 227
DiGiacco BV — *See* Spurio R *et al*, 1001
Dingwall C — *See* Karn J *et al*, 9
Dirheimer G — *See* El Adlouni C *et al*, 1355
Dodd J, Kolb JM, Nomura M, Lack of complete cooperativity of ribosome assembly *in vitro* and its possible relevance to *in vivo* ribosome assembly and the regulation of ribosomal gene expression, 757
Dohet C — *See* Rayssiguier C *et al*, 371
Dong Y — *See* Okret S *et al*, 51
Douthwaite S — *See* Aagaard C *et al*, 1439
Dreyfus M — *See* Yarchuk O *et al*, 1533
Droogmans L, Grosjean H, 2'-*O*-methylation and inosine formation in the wobble position of anticodon-substituted tRNA-Phe in a homologous yeast *in vitro* system, 1021
Ducastaing A — *See* Savart M *et al*, 1409
Dufourc EJ — *See* Léonard A, 1295
Duine JA — *See* Frank Jzn J *et al*, 611
Dumas F — *See* Vadeboncoeur C *et al*, 1435
Dumont JE — *See* Maenhaut C *et al*, 29
Duraj J — *See* Cernakova L *et al*, 285
Dutreix M — *See* Rao BJ *et al*, 363 — *See* Bailone A *et al*, 479

E

Ebel JP — *See* Wakao H *et al*, 991
Egebjerg J, Garrett RA, Binding sites of the antibiotics pactamycin and celesticetin on ribosomal RNAs, 1145
Eggleston AK, Kowalczykowski SC, An overview of homologous pairing and DNA strand exchange proteins, 163
Ehrenberg M — *See* Rojas AM *et al*, 599
Ehresmann B — *See* Wakao H *et al*, 991
Ehresmann C — *See* Wakao H *et al*, 991
Eisenstein M, Sharon R, Berkovitch-Yellin Z, Gewitz HS, Weinstein S, Pebay-Peyroula E, Roth M, Yonath A, The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879
El Adlouni C, Desgrès J, Dirheimer G, Keith G, Sequence of a new $tRNA^{Leu}$(U*AA) from brewer's yeast, 1355
Englisch U — *See* Cramer F *et al*, 1027
Englisch-Peters S, Conley J, Plumbridge J, Leptak C, Söll D, Rogers MJ, Mutant enzymes and tRNAs as probes of the glutaminyl-tRNA synthetase: $tRNA^{Gln}$ interaction, 1501
Erdmann VA — *See* Jahn O *et al*, 669
Erdos T, Butler-Browne GS, Rappaport L, Mechanogenetic regulation of transcription, 1219
Esser V — *See* McGarry JD *et al*, 77

F

Favre D, Cryz SJ Jr, Viret JF, Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235
Favre R — *See* Kriat M *et al*, 99
Favrel P, Kegel G, Sedlmeier D, Keller R, Van Wormhoudt A, Structure and biological activity of crustacean gastrointestinal peptides identified with antibodies to gastrin/cholecystokinin, 1233
Fedorkin ON — *See* Smirnyagina EV *et al*, 587
Fedoroff N — *See* Masson P *et al*, 5
Ferré P — *See* Girard J *et al*, 71
Fey GH, Hattori M, Hocke G, Brechner T, Baffet G, Baumann M, Baumann H, Northemann W, Gene regulation by interleukin 6, 47
Finch JT — *See* Karn J *et al*, 9
Fine JM — *See* Rochu D *et al*, 617
Fishel R, Derbyshire MK, Moore SP, Young CSH, Biochemical studies of homologous and nonhomologous recombination in human cells, 257
Flamion PJ — *See* Cachia C *et al*, 607
Fontanarava E — *See* Kriat M *et al*, 99
Forchhammer K, Boesmiller K, Böck A, The function of selenocysteine synthase and SELB in the synthesis and incorporation of selenocysteine, 1481

Foster DW — *See* McGarry JD *et al*, 77
Frank Jzn J, Duine JA, Balny C, Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611
Freist W — *See* Cramer F *et al*, 1027
Frenette M — *See* Vadeboncoeur C *et al*, 1435
Fridrichova I — *See* Cernakova L *et al*, 285
Frutos G — *See* Gonzalez-Jimenez J *et al*, 551
Fuchs RPP — *See* Janel-Bintz R *et al*, 491
Fukuhara H — *See* Chen XJ *et al*, 1195
Funatsu G, Islam MR, Minami Y, Sung-Sil K, Kimura M, Conserved amino-acid residues in ribosome-inactivating proteins from plants, 1157

G

Gait MJ — *See* Karn J *et al*, 9
Galande S — *See* Muniyappa K *et al*, 187
Garber MB — *See* Yusupov MM *et al*, 887
García-Sogo M — *See* Pérez-Roger I *et al*, 329
Garnier J — *See* Salesse R *et al*, 109
Garrett RA — *See* Egebjerg J, 1145
Gauthier L — *See* Robitaille D *et al*, 573 — *See* Vadeboncoeur C *et al*, 1435
Gerbi SA — *See* Savino R, 805
Gewitz HS — *See* Eisenstein M *et al*, 879
Ghrir R, Mignotte B, Guéride M, Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2, 615
Gilardi P, Schneider-Maunoury S, Charnay P, *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85
Ginther C — *See* Ng C *et al*, 1163
Girard J, Perdereau D, Narkewicz M, Coupé C, Ferré P, Decaux JF, Bossard P, Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat, 71
Glaser P — *See* Moszer I *et al*, 1361
Glitz DG — *See* McWilliams RA, 911
Glück A — *See* Wool IG *et al*, 861
Goldstein RF — *See* Benight AS *et al*, 143
Gonzalez-Jimenez J, Frutos G, Cayre I, Cortijo M, Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551
Göringer HU — *See* Prescott CD *et al*, 1121
Goumard G — *See* Hayes F *et al*, 1275
Graack HR, Grohmann L, Kitakawa M, The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837
Granger-Schnarr M — *See* Schnarr M *et al*, 423
Greco-Perotto RM — *See* Assimacopoulos-Jeannet F *et al*, 67
Grivegnée AR — *See* Segebarth C *et al*, 105
Grivell LA — *See* Dekker PJT *et al*, 1487
Grof P — *See* Aslanian *et al*, 1375
Grohmann L — *See* Graack HR *et al*, 837
Grolière CA — *See* Klein R *et al*, 1281
Grosjean H — *See* Droogmans L, 1021
Grunberg-Manago M — *See* Wakao H *et al*, 991 — *See* Laalami S *et al*, 1557
Gryaznova OI — *See* Gudkov AT *et al*, 1387
Gualerzi CO — *See* Spurio R *et al*, 1001 — *See* Brandt R, 1543
Guarneros G — ***, Portier C, Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543 — *See* Murgola EJ, 1573
Gudkov AT, Bubunenko MG, Gryaznova OI, Overexpression of L7/L12 protein with mutations in its flexible region, 1387
Guéride M — *See* Ghrir R *et al*, 615
Guillot E — *See* Pasta F *et al*, 353
Gümüsel F — *See* Anborgh PH *et al*, 1051
Günther I — *See* Yang D *et al*, 679
Gustafsson JÅ — *See* Okret S *et al*, 51

H

Hampsey M, Na JG, Pinto I, Ware DE, Berroteran RW, Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445
Hankinson O, Brooks BA, Weir-Brown KI, Hoffman EC, Johnson BS, Nanthur J, Reyes H, Watson AJ, Genetic and molecular analysis of the Ah receptor and of *Cyp1a1* gene expression, 61
Hannemann F — *See* Köpke AKE *et al*, 647
Hardesty B — *See* Picking W *et al*, 1101
Harel M — *See* Nagano K *et al*, 947
Harlé JR — *See* Kriat M *et al*, 99
Harmark K — *See* Anborgh PH *et al*, 1051
Hartmann RK — *See* Jahn O *et al*, 669
Hastings PJ — *See* Rosenberg SM, 385
Hatakeyama T — *See* Arndt E *et al*, 657
Hattori M — *See* Fey GH *et al*, 47
Hayes DH — *See* Hayes F *et al*, 1275
Hayes F, Goumard G, Hayes DH, Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena*: kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275
Heaphy S — *See* Karn J *et al*, 9
Heath JD, Weinstock GM, Tandem duplications of the *lac* region of the *Escherichia coli* chromosome, 343
Hendriks D — *See* Scharpe S *et al*, 121
Herrera G — *See* Urios A *et al*, 519
Hershey JWB — *See* Mortensen KK *et al*, 983
Heyer WD, Johnson AW, Norris DN, Tishkoff D, Kolodner RD, *Saccharomyces cerevisiae* proteins involved in hybrid DNA formation *in vitro*, 269
Hietter H — *See* Moog C *et al*, 1321
Hill WE — *See* Weller J, 971
Hiom K, Thomas SM, Sedgwick SG, Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399
Hirel PH — *See* Spinelli S *et al*, 1391
Hocke G — *See* Fey GH *et al*, 47
Hoffman EC — *See* Hankinson O *et al*, 61
Horii T, Head to head dimer model; an alternative model for the

strand exchange reaction by RecA protein of *Escherichia coli*, 177
Horowitz PM — *See* Lee JC *et al*, 1245
Hughes D — *See* Abdulkarim F *et al*, 1457

I

Ikawa S — *See* Shibata T *et al*, 209
Ikeda M — *See* Shibata T *et al*, 209
Iost I — *See* Yarchuk O *et al*, 1533
Ishino Y — *See* Shinagawa H *et al*, 433
Islam MR — *See* Funatsu G *et al*, 1157
Isono K — *See* Kitakawa M, 813
Iwasaki H — *See* Shinagawa H *et al*, 433 — *See* Shinagawa H *et al*, 505

J

Jacquemin C, Glycosyl phosphatidylinositol in thyroid: cell signalling or protein anchor? 37
Jacquet E — *See* Anborgh PH *et al*, 1051
Jahn O, Hartmann RK, Boeckh T, Erdmann VA, Comparative analysis of ribosomal protein L5 sequences from bacteria of the genus *Thermus*, 669
Jallal B — *See* Salesse R *et al*, 109
Janel-Bintz R, Maenhaut-Michel G, Takahashi M, Fuchs RPP, Roles of recA mutant allele (*recA495*) in frameshift mutagenesis, 491
Jasmin C — *See* Marcovistz R *et al*, 1351
Jeanrenaud B — *See* Assimacopoulos-Jeannet F *et al*, 67
Johnson AW — *See* Heyer WD *et al*, 269
Johnson BS — *See* Hankinson O *et al*, 61
Jwang B — *See* Rao BJ *et al*, 363

K

Kahn A — *See* Raymondjean M *et al*, 41
Kapp U — *See* Kruft V *et al*, 855
Karn J, Dingwall C, Finch JT, Heaphy S, Gait MJ, RNA binding by the tat and rev proteins of HIV-1, 9
Kawakami K — *See* Mikuni O *et al*, 1509
Kazmaier M — *See* Schnarr M *et al*, 423
Kegel G — *See* Favrel P *et al*, 1233
Keith G — *See* El Adlouni C *et al*, 1355
Keller R — *See* Favrel P *et al*, 1233
Kien P — *See* Portais JC *et al*, 93
Kimura M — *See* Arndt E *et al*, 657 — *See* Funatsu G *et al*, 1157
Kitakawa M — ***, Isono K, The mitochondrial ribosomes, 813 — *See* Graack HR *et al*, 837
Kleibl K — *See* Cernakova L *et al*, 285
Klein R, Tatischeff I, Tham G, Grolière CA, The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281
Kleuvers B — *See* Prescott CD *et al*, 1121
Knežević-Vukčević J, Simić D, RecBC promoted repair of bleomycin damage in *Escherichia coli*, 497
Knežević J — *See* Bailone A *et al*, 471 — *See* Bailone A *et al*, 479
Kolb JM — *See* Dodd J *et al*, 757
Kolodner RD — *See* Heyer WD *et al*, 269
Konishi Y — *See* Vadeboncoeur C *et al*, 1435
Köpke AKE, Hannemann F, Boeckh T, Genetic engineering and overexpression of ribosomal L12 protein genes from three different archaebacteria in *E coli*, 647
Kowalczykowski SC — *See* Eggleston AK *et al*, 163 — ***, Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289
Kraal B — *See* Abrahams JP *et al*, 1089
Kreutzer R — *See* Ahmadian MR *et al*, 1037
Kriat M, Vion-Dury J, Favre R, Maraninchi D, Harlé JR, Confort-Gouny S, Sciaky M, Fontanarava E, Viout P, Cozzone PJ, Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Krömer W — *See* Arndt E *et al*, 657
Kruft V, Kapp U, Wittmann-Liebold B, Characterization and primary structure of proteins L28, L33 and L34 from *Bacillus stearothermophilus* ribosomes, 855
Kubista M — *See* Takahashi M *et al*, 219
Kurganov BI — *See* Chebotareva NA *et al*, 1339
Kurland CG — *See* Mikkola R, 1061 — *See* Mikkola R, 1551
Kusumi A — *See* Pasenkiewicz-Gierula *et al*, 1311

L

Laalami S — *See* Mortensen KK *et al*, 983 — ***, Sacerdot C, Vachon G, Mortensen K, Sperling-Petersen HU, Cenatiempo Y, Grunberg-Manago M, Structural and functional domains of *E coli* initiation factor IF2, 1557
Labouesse J — *See* Portais JC *et al*, 93
Lanzov V, Stepanova I, Vinogradskaja G, Genetic control of recombination exchange frequency in *Escherichia coli* K-12, 305
Larminat F — *See* Cazaux C *et al*, 281
Lavergne JP — *See* Marzouki A *et al*, 1151
Lazaro E, Van Den Broek LAGM, San Felix A, Ottenheijm HCJ, Ballesta JPG, Chemical, biochemical and genetic endeavours characterizing the interaction of sparsomycin with the ribosome, 1137
La Teana A — *See* Spurio R *et al*, 1001
Le Bousse-Kerdiles MC — *See* Marcovistz R *et al*, 1351
Leclerc D, Melançon P, Brakier-Gingras L, The interaction between streptomycin and ribosomal RNA, 1431
Lee JC, Yeh LCC, Horowitz PM, The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245
Lefèvre JC — *See* Pasta F *et al*, 353

Leighton T — *See* Ng C *et al*, 1163
Léonard A, Dufourc EJ, Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295
Leptak C — *See* Englisch-Peters S *et al*, 1501
Lerš N — *See* Trovčević Ž *et al*, 515
Lesca C, Petit C, Defais M, UV induction of LexA independent proteins which could be involved in SOS repair, 407
Letard P — *See* Savart M *et al*, 1409
Leung A — *See* Ng C *et al*, 1163
Levin JM — *See* Salesse R *et al*, 109
Le Rudulier D — *See* Riou N *et al*, 1187
Leighton T — *See* Ng C *et al*, 1163
Lindahl L — *See* Zengel JM, 719
Little JW — ***, Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411 — *See* Thliveris AT *et al*, 449
Liu QZ — *See* Spinelli S *et al*, 1391
Lloyd RG, Buckman C, Overlapping functions of *recD*, *recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313
Londei P, Altamura S, Caprini E, Martayan A, Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465
Longo R — *See* Segebarth C *et al*, 105
López-Acedo C — *See* Pérez-Roger I *et al*, 329
Lüder G — *See* Alonso JC, 277
Lutsch G — *See* Bommer UA *et al*, 1007
Lutton C, Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Luu B — ***, Moog C, Oxysterols: biological activities and physicochemical studies, 1317 — *See* Moog C *et al*, 1321
Luyten PR — *See* Segebarth C *et al*, 105
Lyubarev AE — *See* Chebotareva NA *et al*, 1339

M

Macián F — *See* Pérez-Roger I *et al*, 329
Madiraju MVVS — *See* Wang TCV *et al*, 335
Maenhaut C, Roger PP, Reuse S, Dumont JE, Activation of the cyclic AMP cascade as an oncogenic mechanism: the thyroid example, 29
Maenhaut-Michel G — *See* Janel-Bintz R *et al*, 491
Maillere B — *See* Marcovistz R *et al*, 1351
Makino K — *See* Shinagawa H *et al*, 505
Makino O — *See* Shibata T *et al*, 209
Malaisse-Lagae F — *See* Willem R *et al*, 1241
Malaisse WJ — *See* Curi R *et al*, 583 — *See* Willem R *et al*, 1241 — *See* Sener A, 1287
Mandiyan V — *See* Tumminia SJ *et al*, 919
Maraninchi D — *See* Kriat M *et al*, 99
Marcovistz R, Le Bousse-Kerdiles MC, Maillere B, Smadja-Joffe F, Poirrier V, Jasmin C, 20α-Hydroxysteroid dehydrogenase expression in a murine virus-induced myeloproliferative syndrome, 1351
Maršić N, Salaj-Šmić E, Stojiljković I, Trovčević Ž, Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501
Martayan A — *See* Londei P *et al*, 1465
Marzouki A, Sontag B, Lavergne JP, Vidonne C, Reboud JP, Reboud AM, Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151
Masson P — ***, Banks JA, Fedoroff N, Structure and function of the maize *Spm* transposable element, 5 — *See* Aslanian D *et al*, 1375
Massoulié J — *See* Aslanian D *et al*, 1375
Matheson AT — *See* Yang D *et al*, 679
McGarry JD, Sen A, Esser V, Woeltje KF, Weis B, Foster DW, New insights into the mitochondrial carnitine palmitoyltransferase enzyme system, 77
McWilliams RA, Glitz DG, Localization of a segment of 16S RNA on the surface of the small ribosomal subunit by immune electron microscopy of complementary oligodeoxynucleotides, 911
Melançon P — *See* Leclerc D *et al*, 1431
Mendoza-Figueroa T — *See* De La Vega FM, 621
Merle M — *See* Portais JC *et al*, 93
Meunier JC — *See* Chardot T *et al*, 1205
Mignotte B — *See* Ghrir R *et al*, 615
Mikkola R — ***, Kurland CG, Is there a unique ribosome phenotype for naturally occurring *Escherichia coli*? 1061 — ***, Kurland CG, Evidence for demand-regulation of ribosome accumulation in *E coli*, 1551
Mikuni O, Kawakami K, Nakamura Y, Sequence and functional analysis of mutations in the gene encoding peptide-chain-release factor 2 of *Escherichia coli*, 1509
Minami Y — *See* Funatsu G *et al*, 1157
Miroschnichenko NA — *See* Smirnyagina EV *et al*, 587
Mistou MY — *See* Anborgh PH *et al*, 1051
Moffat JG, Timms KM, Trotman CNA, Tate WP, Interaction of the release factors with the *Escherichia coli* ribosome: structurally and functionally-important domains, 1113
Möller W, Functional aspects of ribosomal proteins, 1093
Moog C — *See* Luu B, 1317 — ***, Deloulme JC, Baudier J, Revel MO, Bischoff P, Hietter H, Luu B, Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321
Moore PB — *See* Szewczak AA *et al*, 871
Moore SP — *See* Fishel R *et al*, 257
Morales J, Mulner-Lorillon O, Denis H, Bellé R, Purification and characterization of a germ cell-specific form of elongation factor 1α (EF-1α) from *Xenopus laevis*, 1249
Morozov SY — *See* Smirnyagina EV *et al*, 587
Mortensen K — *See* Laalami S *et al*, 1557
Mortensen KK, Nyengaard NR, Hershey JWB, Laalami S, Sperling-Petersen HU, Superexpression and fast purification of *E coli* initiation factor IF2, 983
Moszer I, Glaser P, Danchin A, Multiple IS insertion sequences near the replication terminus in *Escherichia coli* K-12, 1361
Mount DW — *See* Thliveris AT *et al*, 449
Mulner-Lorillon O — *See* Morales J *et al*, 1249
Muniyappa K, Ramdas J, Mythili E, Galande S, Homologous pairing between nucleosome cores on a linear duplex DNA and nucleoprotein filaments of RecA protein-single stranded DNA, 187
Murgola EJ, Guarneros G, Ribosomal RNA and peptidyl-tRNA

hydrolase: a peptide chain termination model for lambda bar RNA inhibition, 1573
Muto A — *See* Oba T *et al*, 1109
Myslinski E, Branlant C, A phylogenetic study of U4 snRNA reveals the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
Mythili E — *See* Muniyappa K *et al*, 187

N

Na JG — *See* Hampsey M *et al*, 1445
Nagai H, Yuzawa H, Yura T, Regulation of the heat shock reponse in *E coli* : involvement of positive and negative *cis*-acting elements in translational control of σ^{32} synthesis, 1473
Nagano K, Takagi H, Harel M, The side-by-side model of two tRNA molecules allowing the α-helical conformation of the nascent polypeptide during the ribosomal transpeptidation, 947
Nakamura Y — *See* Mikuni O *et al*, 1509
Nakata A — *See* Shinagawa H *et al*, 433 — *See* Shinagawa H *et al*, 505
Nanthur J — *See* Hankinson O *et al*, 61
Narkewicz M — *See* Girard J *et al*, 71
Navarro-Aviñó JP — *See* Pérez-Roger I *et al*, 329
Négrerie M — *See* Aslanian D *et al*, 1375
Ng C, Buchanan C, Leung A, Ginther C, Leighton T, Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
Nierhaus KH, The assembly of prokaryotic ribosomes, 739
Nilsson L — *See* Verbeek H *et al*, 713
Ninio J, Connections between translation, transcription and replication error-rates, 1517
Nomura M — *See* Dodd J *et al*, 757
Nordén B — *See* Takahashi M *et al*, 219
Norris DN — *See* Heyer WD *et al*, 269
Northemann W — *See* Fey GH *et al*, 47
Nurse K — *See* Cunningham PR *et al*, 789
Nyengaard NR — *See* Mortensen KK *et al*, 983

O

Oba T, Andachi Y, Muto A, Osawa S, Translation *in vitro* of codon UGA as tryptophan in *Mycoplasma capricolum*, 1109
O'Brien TW — *See* Pietromonaco SF *et al*, 827
O'Connor M, De Stasio EA, Dahlberg AE, Interaction between 16S ribosomal RNA and ribosomal protein S12: differential effects of paromomycin and streptomycin, 1493
Oertel-Buchheit P — *See* Schnarr M *et al*, 423
Ofengand J — *See* Cunningham PR *et al*, 789
Okret S, Dong Y, Brönnegård M, Gustafsson JÅ, Regulation of glucocorticoid receptor expression, 51
Olah TV — *See* Buck MA *et al*, 769
Osawa S — *See* Oba T *et al*, 1109
Osman F, Cotton C, Tomsett B, Strike P, Isolation and characterisation of *nuv*11, a mutation affecting meiotic and mitotic recombination in *Aspergillus nidulans*, 321
Ott G — *See* Bensch K *et al*, 1045
Ottenheijm HCJ — *See* Lazaro E *et al*, 1137

P

Pace NR — *See* Brown JW, 689
Paci M — *See* Spurio R *et al*, 1001
Pallet V — *See* Savart M *et al*, 1409
Papadopoulou B — *See* Dekker PJT *et al*, 1487
Parmeggiani A — *See* Anborgh PH *et al*, 1051
Pasenkiewicz-Gierula M, Subczynski WK, Kusumi A, Influence of phospholipid unsaturation on the cholesterol distribution in membranes, 1311
Pasta F, Lefèvre JC, Guillot E, Sicard AM, Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Pawlik RT — *See* Spurio R *et al*, 1001
Pebay-Peyroula E — *See* Eisenstein M *et al*, 879
Pekel ND — *See* Chebotareva *et al*, 1339
Perdereau D — *See* Girard J *et al*, 71
Pérez-Roger I, García-Sogo M, Navarro-Aviñó GP, López-Acedo C, Macián F, Armengod ME, Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329
Perrault AR — *See* Buck MA *et al*, 769
Petit C — *See* Lesca C *et al*, 407
Petranović D — *See* Trovčević Ž *et al*, 515
Petranović M — *See* Trovčević Ž *et al*, 515
Pianet I — *See* Portais JC *et al*, 93
Picking W, Picking WD, Hardesty B, The use of synthetic tRNAs as probes for examining nascent peptides on *Escherichia coli* ribosomes, 1101
Picking WD — *See* Picking W *et al*, 1101
Pieper U — *See* Bensch K *et al*, 1045
Pietromonaco SF, Denslow ND, O'Brien TW, Proteins of mammalian mitochondrial ribosomes, 827
Pingoud A — *See* Bensch K *et al*, 1045
Pinto I — *See* Hampsey M *et al*, 1445
Pirsel M — *See* Cernakova L *et al*, 285
Planta RJ — *See* Vreken P *et al*, 729
Plumbridge J — *See* Englisch-Peters S *et al*, 1501
Poggi MC — *See* Riou N *et al*, 1187
Poirrier V — *See* Marcovistz R *et al*, 1351
Poljak RJ — *See* Spinelli S *et al*, 1391
Pon CL — *See* Spurio R *et al*, 1001
Ponsin G — *See* Talussot C *et al*, 1173
Portais JC, Pianet I, Allard M, Merle M, Raffard G, Kien P, Biran M, Labouesse J, Caille JM, Canioni P, Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93
Portier C — *See* Guarneros G, 543
Poupon R — *See* Calmus Y, 1335
Powers T — *See* Aagaard C *et al*, 1439
Prescott CD, Kleuvers B, Göringer HU, A rRNA-mRNA base pairing model for UGA-dependent termination, 1121

Puzenat N — *See* Raymondjean M *et al*, 41

Q

Queiroz-Claret C — *See* Chardot T *et al*, 1205
Quivy JP, Chroboczek J, The interaction of wheat germ tyrosyl-tRNA synthetase and the tRNA-like end of brome mosaic virus RNA has no effect on *in vitro* viral protein synthesis and on *in vitro* encapsidation, 1269

R

Radman M — ***, Avoidance of inter-repeat recombination by sequence divergence and a mechanism of neutral evolution, 357 — *See* Rayssiguier C *et al*, 371
Raffard G — *See* Portais JC *et al*, 93
Ramdas J — *See* Muniyappa K *et al*, 187
Rao BJ, Jwang B, Dutreix M, Production of triple-stranded recombination intermediates by RecA protein, *in vitro*, 363
Rappaport L — *See* Erdos T *et al*, 1219
Raué HA — *See* Vreken P *et al*, 729
Raymondjean M, Vaulont S, Cognet M, Decaux JF, Puzenat N, Bergot MO, Kahn A, Positive and negative regulation of gene expression by insulin and glucagon: the model of L-type pyruvate kinase gene, 41
Rayssiguier C, Dohet C, Radman M, Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371
Reboud AM — *See* Marzouki A *et al*, 1151
Reboud JP — *See* Marzouki A *et al*, 1151
Remy JJ — *See* Salesse R *et al*, 109
Reuse S — *See* Maenhaut C *et al*, 29
Revel MO — *See* Moog C *et al*, 1321
Reyes H — *See* Hankinson O *et al*, 61
Rheinberger HJ, The function of the translating ribosome: allosteric three-site model of elongation, 1067
Richard RB — *See* Cunningham PR *et al*, 789
Rinaldi T — *See* Valens M *et al*, 1525
Rinken R, Vries J de, Weichenhan D, Wackernagel W, The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375
Riou N, Poggi MC, Le Rudulier D, Characterization of an osmoregulated periplasmatic glycine betaine-binding protein in *Azospirillum brasilense* sp7, 1187
Robitaille D, Gauthier L, Vadeboncoeur C, The presence of two forms of the phosphocarrier protein HPr of the phosphoenolpyruvate:sugar phosphotransferase system in streptococci, 573
Rochu D, Crespeau H, Fine JM, Albumin Paris 2: a new genetic variant distinguished by isoelectric focusing, 617
Rodionova NP — *See* Smirnyagina EV *et al*, 587
Rogers MJ — *See* Englisch-Peters S *et al*, 1501
Roger PP — *See* Maenhaut C *et al*, 29
Rohner-Jeanrenaud F — *See* Assimacopoulos-Jeannet F *et al*, 67
Rojas AM, Ehrenberg M, How does ppGpp affect translational accuracy in the stringent response? 599
Romby P — *See* Wakao H *et al*, 991
Rosenberg SM, Hastings PJ, The split-end model for homologous recombination at double-strand breaks and at Chi, 385
Rosendahl G — *See* Aagaard C *et al*, 1439
Rosselli W — *See* Stasiak AZ *et al*, 199
Roth M — *See* Eisenstein M *et al*, 879
Rouer E — *See* Angulo JF *et al*, 251
Rousset JP — *See* Berteaux V *et al*, 1291
Rugani N — *See* Dezan C *et al*, 1417
Ruigrok RWH — ***, DiCapua E, On the polymerization state of recA in the absence of DNA, 191 — *See* Timmins PA *et al*, 227

S

Sacerdot C — *See* Laalami S *et al*, 1557
Salaj-Šmic E — *See* Maršić N *et al*, 501 — *See* Trovčević Ž *et al*, 515
Salesse R, Remy JJ, Levin JM, Jallal B, Garnier J, Towards understanding the glycoprotein hormone receptors, 109
San Felix A — *See* Lazaro E *et al*, 1137
Sarasin A — *See* Stary A, 509
Sarda L — *See* Dezan C *et al*, 1417
Savart M, Pallet V, Letard P, Bossuet C, Ducastaing A, Calpain 1-protein kinase C complex: effect of calpain inhibitors after dissociation, 1409
Savino R, Gerbi SA, Preribosomal RNA processing in *Xenopus* oocytes does not include cleavage within the external transcribed spacer as an early step, 805
Scharpe S, De Meester I, Hendriks D, Vanhoof G, van Sande M, Vriend G, Proteases and their inhibitors: today and tomorrow, 121
Schirmer N — *See* Bensch K *et al*, 1045
Schlessinger D — *See* Srivastava AK, 631
Schmidt J — *See* Smooker PM *et al*, 845
Schnarr M, Oertel-Buchheit P, Kazmaier M, Granger-Schnarr M, DNA binding properties of the LexA repressor, 423
Schneider-Maunoury S — *See* Gilardi P *et al*, 85
Scholzen T — *See* Arndt E *et al*, 657
Schreiber JP — *See* Cachia C *et al*, 607
Sciaky M — *See* Kriat M *et al*, 99
Sedgwick SG — *See* Hiom K *et al*, 399
Sedlmeier D — *See* Favrel P *et al*, 1233
Segebarth C, Grivegnée AR, Longo R, Luyten PR, den Hollander JA, *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105
Sen A — *See* McGarry JD *et al*, 77
Sener A, Malaisse WJ, Hexose metabolism in pancreatic islets. Effect of (—)-hydroxycitrate upon fatty acid synthesis and insulin release in glucose-stimulated islets, 1287
Sharon R — *See* Eisenstein M *et al*, 879
Shatsky IN IN, Bakin AV, Bogdanov AA, Vasiliev VD, How does the mRNA pass through the ribosome ? 937

Shiba T — *See* Shinagawa H *et al*, 505
Shibata T, Ikeda M, Makino O, Ikawa S, Monoclonal antibodies and mechanistic studies on recA protein, 209
Shinagawa H, Iwasaki H, Ishino Y, Nakata A, SOS-inducible DNA polymerase II of *Escherichia coli* is homologous to replicative DNA polymerase of eukaryotes, 505 — ***, Shiba T, Iwasaki H, Makino K, Takahagi M, Nakata A, Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505
Sicard AM — *See* Pasta F *et al*, 353
Simić D — *See* Knežević-Vukčević J, 497
Smadja-Joffe F — *See* Marcovistz R *et al*, 1351
Smirnyagina EV, Morozov SY, Rodionova NP, Miroschnichenko NA, Solovyev AG, Fedorkin ON, Atabekov JG, Translational efficiency and competitive ability of mRNAs with 5'-untranslated αβ-leader of potato virus X RNA, 587
Smooker PM, Schmidt J, Subramanian AR, The nuclear:organelle distribution of chloroplast ribosomal proteins genes. Features of a cDNA clone encoding the cytoplasmic precursor of L11, 845
Söll D — *See* Englisch-Peters S *et al*, 1501
Solovyev AG — *See* Smirnyagina EV *et al*, 587
Sommer S — *See* Bailone A *et al*, 471 — *See* Bailone A *et al*, 479
Sontag B — *See* Marzouki A *et al*, 1151
Sperling-Petersen HU — *See* Mortensen KK *et al*, 983 — *See* Laalami S *et al*, 1557
Spicker G — *See* Yang D *et al*, 679 — *See* Auer J *et al*, 683
Spinelli S, Liu QZ, Alzari PM, Hirel PH, Poljak RJ, The three-dimensional structure of the aspartyl protease from the HIV-1 isolate BRU, 1391
Spirin AS — *See* Yusupov MM *et al*, 887
Sprinzl M — *See* Ahmadian MR *et al*, 1037 — *See* Bensch K *et al*, 1045
Spurio R, Paci M, Pawlik RT, La Teana A, DiGiacco BV, Pon CL, Gualerzi CO, Site-directed mutagenesis and NMR spectroscopic approaches to the elucidation of the structure–function relationships in translation initiation factors IF1 and IF3, 1001
Srivastava AK, Schlessinger D, Structure and organization of ribosomal DNA, 631
Stahl J — *See* Bommer UA *et al*, 1007
Stary A, Sarasin A, Amplification of Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
Stasiak A — *See* Stasiak AZ *et al*, 199
Stasiak AZ, Rosselli W, Stasiak A, RecA-DNA helical filaments in genetic recombination, 199
Stepanova I — *See* Lanzov V *et al*, 305
Sternbach H — *See* Cramer F *et al*, 1027
Stieger S, Brodbeck U, Glycosyl-phosphatidylinositol anchored acetylcholinesterase as substrate for phosphatidylinositol-specific phospholipase C from *Bacillus cereus*, 1179
Stöffler G — *See* Stöffler-Meilicke M, 797
Stöffler-Meilicke M, Stöffler G, The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797
Stojiljković I — *See* Maršić N *et al*, 501
Stranathan M — *See* Yasbin RE *et al*, 245
Strike P — *See* Osman F *et al*, 321
Stuhrmann HB, Frozen spin targets in ribosomal structure research, 899
Subczynski WK — *See* Pasenkiewicz-Gierula *et al*, 1311
Subramanian AR — *See* Smooker PM *et al*, 845
Sung-Sil K — *See* Funatsu G *et al*, 1157
Suzuki K — *See* Wool IG *et al*, 861
Sweasy JB, Witkin EM, Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of *Escherichia coli*, 437
Szewczak AA, Chan YL, Moore PB, Wool IG, On the conformation of the alpha sarcin stem-loop of 28S rRNA, 871

T

Takagi H — *See* Nagano K *et al*, 947
Takahagi M — *See* Shinagawa H *et al*, 505
Takahashi M — ***, Kubista M, Nordén B, Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219 — *See* Janel-Bintz R *et al*, 491
Talussot C, Ponsin G, Cholesterol-induced alteration of apolipoprotein A-I conformation in reassembled high density lipoprotein, 1173
Tanguy-Rougeau C — *See* Chen XJ *et al*, 1195
Tate GP — *See* Moffat JG *et al*, 1113
Tatischeff I — *See* Klein R *et al*, 1281
Taylor P — *See* Aslanian D *et al*, 1375
Templin A — *See* Wang TCV *et al*, 335
Terrettaz J — *See* Assimacopoulos-Jeannet F *et al*, 67
Tham G — *See* Klein R *et al*, 1281
Thammavongs B — *See* Auffray Y *et al*, 231
Theissen G — *See* Zacharias M *et al*, 699
Thliveris AT, Little JW, Mount DW, Repression of the *Escherichia coli recA* gene requires at least two LexA protein monomers, 449
Thomas SM — *See* Hiom K *et al*, 399
Thompson J, Cundliffe E, The binding of thiostrepton to 23S ribosomal RNA, 1131
Timms KM — *See* Moffat JG *et al*, 1113
Timmins PA, Ruigrok RWH, DiCapua E, The solution structure of recA filaments by small angle neutron scattering, 227
Tishkoff D — *See* Heyer WD *et al*, 269
Tomsett B — *See* Osman F *et al*, 321
Toulmé JJ — *See* Boiziau C, 1403
Trotman CNA — *See* Moffat JG *et al*, 1113
Trovčević Z — *See* Maršić N *et al*, 501 — ***, Petranović M, Brčić-Kostić K, Petranović D, Lerš N, Salaj-Šmic E, A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515
Tumminia SJ, Mandiyan V, Wall JS, Boublik M, Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919
Tuohy TMF — *See* Abdulkarim F *et al*, 1457

U

Urios A, Herrera G, Aleixandre V, Blanco M, Influence of *recA*

mutations on *gyrA* dependent quinolone resistance, 519

V

Vachon G — *See* Laalami S *et al*, 1557
Vadeboncoeur C — *See* Robitaille D *et al*, 573 — ***, Konishi Y, Dumas F, Gauthier L, Frenette M, HPr polymorphism in oral streptococci is caused by the partial removal of the N-terminal methionine, 1435
Valens M, Rinaldi T, Daignan-Fornier B, Bolotin-Fukuhara M, Identification of nuclear genes which participate to mitochondrial translation in *Saccharomyces cerevisiae*, 1525
Van Den Broek LAGM — *See* Lazaro E *et al*, 1137
van der Veen R — *See* Vreken P *et al*, 729
Vanhoof G — *See* Scharpe S *et al*, 121
van Sande M — *See* Scharpe S *et al*, 121
Van Wormhoudt A — *See* Favrel P *et al*, 1233
Vasiliev VD — *See* Yusupov MM *et al*, 887 — *See* Shatsky IN *et al*, 937
Vaulont S — *See* Raymondjean M *et al*, 41
Verbeek H, Nilsson L, Bosch L, FIS-induced bending of a region upstream of the promoter activates transcription of the *E coli thrU (tufB)* operon, 713
Vidonne C — *See* Marzouki A *et al*, 1151
Vinogradskaja G — *See* Lanzov V *et al*, 305
Vion-Dury J — *See* Kriat M *et al*, 99
Viout P — *See* Kriat M *et al*, 99
Viret JF — *See* Favre D *et al*, 235
Vreken P, van der Veen R, de Regt VCHF, de Maat AL, Planta RJ, Raué HA, Turnover rate of yeast PGK-mRNA can be changed by specific alterations in its trailer structure, 729
Vriend G — *See* Scharpe S *et al*, 121
Vries J de — *See* Rinken R *et al*, 375

W

Wackernagel W — *See* Rinken R *et al*, 375
Wagner R — *See* Zacharias M *et al*, 699
Wakao H, Romby P, Ebel JP, Grunberg-Manago M, Ehresmann C, Ehresmann B, Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991
Wall JS — *See* Tumminia SJ *et al*, 919
Wang TCV, Madiraju MVVS, Templin A, Clark AJ, Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335
Ware DE — *See* Hampsey M *et al*, 1445
Watson AJ — *See* Hankinson O *et al*, 61
Weichenhan D — *See* Rinken R *et al*, 375
Weijland A — *See* Anborgh PH *et al*, 1051
Weinstein S — *See* Eisenstein M *et al*, 879
Weinstock GM — *See* Heath JD, 343 — *See* Weisemann JM, 457
Weir-Brown KI — *See* Hankinson O *et al*, 61
Weis B — *See* McGarry JD *et al*, 77
Weisemann JM, Weinstock GM, The promoter of the *recA* gene of *Escherichia coli*, 457
Weitzmann CJ — *See* Cunningham PR *et al*, 789
Weller J, Hill WE, Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971
Wésolowski-Louvel M — *See* Chen XJ *et al*, 1195
Willem R, Malaisse-Lagae F, Malaisse WJ, Phosphoglucoisomerase-catalyzed interconversion of hexose phosphates: distinction of the 1-monodeutero-isotopomers of D-fructose 6-phosphate by ^{1}H NMR spectroscopy, 1241
Willson RC — *See* Cornut B, 1567
Wilson DH — *See* Benight AS *et al*, 143
Witkin EM — ***, RecA protein in the SOS response: milestones and mysteries, 133 — *See* Sweasy JB, 437
Wittmann-Liebold B — *See* Kruft V *et al*, 855
Woeltje KF — *See* McGarry JD *et al*, 77
Wong BC — *See* Chow SA *et al*, 157
Wool IG — ***, Chan YL, Glück A, Suzuki K, The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861 — *See* Szewczak AA *et al*, 871
Wower J, Zimmerman RA, A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961

Y

Yang D, Günther I, Matheson AT, Auer J, Spicker G, Böck A, The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679
Yarchuk O, Iost I, Dreyfus M, The relation between translation and mRNA degradation in the *lacZ* gene, 1533
Yasbin RE, Stranathan M, Bayles KW, The *recE(A)*$^+$ gene of *B subtilis* and its gene product: further characterization of this universal protein, 245
Yeagle PL, Modulation of membrane function by cholesterol, 1303
Yeh LCC — *See* Lee JC *et al*, 1245
Yonath A — *See* Eisenstein M *et al*, 879
Young CSH — *See* Fishel R *et al*, 257
Yura T — *See* Nagai H *et al*, 1473
Yusupov MM, Garber MB, Vasiliev VD, Spirin AS, *Thermus thermophilus* ribosomes for crystallographic studies, 887
Yuzawa H — *See* Nagai H *et al*, 1473

Z

Zacharias M, Theissen G, Bradaczek C, Wagner R, Analysis of sequence elements important for the synthesis and control of ribosomal RNA in *E coli*, 699
Zarjevski N — *See* Assimacopoulos-Jeannet F *et al*, 67
Zengel JM, Lindahl L, Ribosomal protein L4 of *Escherichia coli: in vitro* analysis of L4-mediated attenuation control, 719
Zimmerman RA — *See* Wower J *et al*, 961

KEYWORD INDEX

A

A and E site allosteric interaction — The function of the translating ribosome: allosteric three-site model of elongation, 1067

Acetyl CoA — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327

Acetylcholinesterase — Glycosyl-phosphatidylinositol anchored acetylcholinesterase as substrate for phosphatidylinositol-specific phospholipase C from *Bacillus cereus*, 1179 — A comparative Raman spectroscopic study of cholinesterases, 1375

Active-site — Conserved aminoacid residues in ribosome-inactivating proteins from plants, 1157

ADP-ribosylation — Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151

Affinity labeling — A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961

Albumin — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551 — Albumin Paris 2: a new genetic variant distinguished by isoelectric focusing, 617

Alignment of L5-equivalent protein sequences — Comparative analysis of ribosomal protein L5 sequences from bacteria of the genus *Thermus*, 669

Alternating GC sequences — Roles of recA mutant allele (*recA495*) in frameshift mutagenesis, 491

Aminoacid composition — Structure and biological activity of crustacean gastrointestinal peptides identified with antibodies to gastrin/cholecystokinin, 1233

Amino acid sequence — Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2, 615 — Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657 — Conserved aminoacid residues in ribosome-inactivating proteins from plants, 1157

Amino acid sequence comparisons — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861

Amino acid starvation — How does ppGpp affect translational accuracy in the stringent response? 599

Aminoacylation — Aminoacylation of tRNAs as critical step of protein biosynthesis, 1027

Aminoacyl-tRNA — How many EF-Tu molecules participate in aminoacyl-tRNA binding? 1045

Aminoacyl-tRNA synthetases — Aminoacylation of tRNAs as critical step of protein biosynthesis, 1027 — Mutant enzymes and tRNAs as probes of the glutaminyl-tRNA synthetase: $tRNA^{Gln}$ interaction, 1501

cAMP — Regulation of glucocorticoid receptor expression, 51

Angiotensin converting enzyme — Proteases and their inhibitors: today and tomorrow, 121

Antibiotic binding — Specific structural probing of plasmid-coded ribosomal RNAs from *Escherichia coli*, 1439

Antibiotic kirromycin — Missense substitutions lethal to essential functions of EF-Tu, 1457

Antibiotic resistance and dependance — Interaction between 16S ribosomal RNA and ribosomal protein S12 : differential effects of paromomycin and streptomycin, 1493

Antihistaminic — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551

Antisense RNA target — Ribosomal RNA and peptidyl-tRNA hydrolase: a peptide chain termination model for lambda bar RNA inhibition, 1573

Apolipoprotein A-I — Cholesterol-induced alteration of apolipoprotein A-I conformation in reassembled high density lipoprotein, 1173

Archaebacteria — Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657 — The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679 — Presence of a gene in the archaebacterium *Methanococcus vannielii* homologous to *secY* of eubacteria, 683 — The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797 — Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465

Artocarpin — Chemical modification studies of *Artocarpus lakoocha* lectin artocarpin, 563

Aryl hydrocarbon hydroxylase — Genetic and molecular analysis of the Ah receptor and of *Cyp1a1* gene expression, 61

Aspergillus nidulans — Isolation and characterisation of *nuv*11, a mutation affecting meiotic and mitotic recombination in *Aspergillus nidulans*, 321

Assembly gradient — The assembly of prokaryotic ribosomes, 739

ATPase — Head to head dimer model; an alternative model for the strand exchange reaction by RecA protein of *Escherichia coli*, 177
Attenuation — Ribosomal protein L4 of *Escherichia coli: in vitro* analysis of L4-mediated attenuation control, 719
Autogenous control — Sequence and functional analysis of mutations in the gene encoding peptide-chain-release factor 2 of *Escherichia coli*, 1509
Autoregulation — Regulation of glucocorticoid receptor expression, 51
Azospirillum brasilense — Characterization of an osmoregulated periplasmic glycine betaine-binding protein in *Azospirillum brasilense* sp7, 1187

B

Bacillus stearothermophilus — Characterization and primary structure of proteins L28, L33 and L34 from *Bacillus stearothermophilus* ribosomes, 855
Bacillus subtilis — The *recE(A)*$^+$ gene of *B subtilis* and its gene product: further characterization of this universal protein, 245 — Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
Bacterial osmoregulation — Mechanogenetic regulation of transcription, 1219
bar — Ribosomal RNA and peptidyl-tRNA hydrolase: a peptide chain termination model for lambda bar RNA inhibition, 1573
Benzo(a)pyrene — Genetic and molecular analysis of the Ah receptor and of *Cyp1a1* gene expression, 61
Bile acids — Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
Binding — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551
Binding of flavin mononucleotide — Interaction of flavin mononucleotide with dimeric and tetrameric forms of muscle phosphorylase β, 1339
Binding protein — Characterization of an osmoregulated periplasmatic glycine betaine-binding protein in *Azospirillum brasilense* sp7, 1187
Biopterin isomer — The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281
Bleomycin — RecBC promoted repair of bleomycin damage in *Escherichia coli*, 497
Brain — Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93
Brown adipose tissue — Glucose transporters: structure, function, and regulation, 67
Butyrylcholinesterase — A comparative Raman spectroscopic study of cholinesterases, 1375

C

^{14}C-acetate — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Calcium — Non reductive activation of spinach chloroplastic fructose-1,6-bisphosphatase: evidence for structural modification of the enzyme, 1205
Calpain — Calpain 1-protein kinase C complex: effect of calpain inhibitors after dissociation, 1409
Calpain inhibitors — Calpain 1-protein kinase C complex: effect of calpain inhibitors after dissociation, 1409
Calvin cycle — Non reductive activation of spinach chloroplastic fructose-1,6-bisphosphatase: evidence for structural modification of the enzyme, 1205
Cancer — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Carcinogen — Amplification of Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
Carnitine palmitoyltransferase — New insights into the mitochondrial carnitine palmitoyltransferase enzyme system, 77
cDNA — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971
Celesticetin — Binding sites of the antibiotics pactamycin and celesticetin on ribosomal RNAs, 1145
Chemical modification — Chemical modification studies of *Artocarpus lakoocha* lectin artocarpin, 563
Chi — The split-end model for homologous recombination at double-strand breaks and at Chi, 385
Chi-activation — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375
Chiral HPLC — The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281
Chloramphenicol and ribosome assembly — Lack of complete cooperativity of ribosome assembly *in vitro* and its possible relevance to *in vivo* ribosome assembly and the regulation of ribosomal gene expression, 757
Chlorpheniramine — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551
Cholestasis — Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
Cholesterol — Cholesterol-induced alteration of apolipoprotein A-I conformation in reassembled high density lipoprotein, 1173 — Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295 — Modulation of membrane function by cholesterol, 1303 — Influence of phospholipid unsaturation on the cholesterol distribution in membranes, 1311
Cholesterol-protein interactions — Modulation of membrane function by cholesterol, 1303

Cholesterol regulation of enzymes — Modulation of membrane function by cholesterol, 1303
Chromatin — Homologous pairing between nucleosome cores on a linear duplex DNA and nucleoprotein filaments of RecA protein-single stranded DNA, 187 — The remote control of transcription, DNA looping and DNA compaction, 1261
Chromatin structure — Positive and negative regulation of gene expression by insulin and glucagon: the model of L-type pyruvate kinase gene, 41
Chromosomal null *umuD24* mutation — Substitution of UmuD' for UmuD does not affect SOS mutagenesis, 471
Chromosomes — Avoidance of inter-repeat recombination by sequence divergence and a mechanism of neutral evolution, 357
Circular dichroism — Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397
***cis*-acting DNA elements** — Positive and negative regulation of gene expression by insulin and glucagon: the model of L-type pyruvate kinase gene, 41
Citraconylated ovalbumin — Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397
Codon-anticodon interaction — The function of the translating ribosome: allosteric three-site model of elongation, 1067
Codon recognition — Ribosomal RNA and peptidyl-tRNA hydrolase: a peptide chain termination model for lambda bar RNA inhibition, 1573
Colipase — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Complementary oligonucleotides — Localization of a segment of 16S RNA on the surface of the small ribosomal subunit by immune electron microscopy of complementary oligodeoxynucleotides, 911
Complementation of recA mutations — A RecA protein mutant deficient in its interaction with the UmuDC complex, 479
Conditional mutants — Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445
Conformation — The side-by-side model of two tRNA molecules allowing the α-helical conformation of the nascent polypeptide during the ribosomal transpeptidation, 947
Conformational change — Non reductive activation of spinach chloroplastic fructose-1,6-bisphosphatase: evidence for structural modification of the enzyme, 1205
Conjugation — Overlapping functions of *recD, recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313
Conserved amino acids — Conserved amino acid residues in ribosome-inactivating proteins from plants, 1157
Construction of expression vector — Expression of the *Escherichia coli recA* gene in the yeast *Saccharomyces cerevisiae*, 285
Conversion — Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Cooperativity of ribosome assembly — Lack of complete cooperativity of ribosome assembly *in vitro* and its possible relevance to *in vivo* ribosome assembly and the regulation of ribosomal gene expression, 757
Cross-linking — Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991 — Ribosome-mRNA contact sites at different stages of translation initiation as revealed by cross-linking of model mRNAs, 1543
Cross-linking techniques — A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961
Crustacea — Structure and biological activity of crustacean gastrointestinal peptides identified with antibodies to gastrin/cholecystokinin, 1233
Crystallization — *Thermus thermophilus* ribosomes for crystallographic studies, 887
Crystallography — The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879
CYC1 — Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445
Cyclic AMP — Activation of the cyclic AMP cascade as an oncogenic mechanism: the thyroid example, 29 — Regulation of glucocorticoid receptor expression, 51
Cytokines – Gene regulation by interleukin 6, 47
Cytotoxicity — Oxysterols: biological activities and physicochemical studies, 1317

D

D-[1-³H]fructose 6-phosphate — Phosphoglucoisomerase-catalyzed interconversion of hexose phosphates: distinction of the 1-monodeutero-isotopomers of D-fructose 6-phosphate by ¹H NMR spectroscopy, 1241
Decoding site — A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961
Deletions — Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Derivatization — The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879
Development — Regulation of glucocorticoid receptor expression, 51
Differentiation — The *recE(A)*⁺ gene of *B subtilis* and its gene product: further characterization of this universal protein, 245
2-Dimensional NMR spectroscopy — Site-directed mutagenesis and NMR spectroscopic approaches to the elucidation of the structure–function relationships in translation initiation factors IF1 and IF3, 1001
3-Dimensional image-reconstruction — The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879
Dimethyl sulfoxide — Dimethyl sulfoxide enhances lipid

synthesis and secretion by long-term cultures of adult rat hepatocytes, 621
Dimmer == tetramer equilibrium — Interaction of flavin mononucleotide with dimeric and tetrameric forms of muscle phosphorylase β, 1339
Dioxin — Genetic and molecular analysis of the Ah receptor and of *Cyp1a1* gene expression, 61
Distant regulation — The remote control of transcription, DNA looping and DNA compaction, 1261
***dnaA* operon** — Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329
DNA bending — FIS-induced bending of a region upstream of the promoter activates transcription of the *E coli thrU (tufB)* operon, 713
DNA binding motif — DNA binding properties of the LexA repressor, 423
DNA-binding protein — Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2, 615
DNA cloning — Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335
DNA compaction — The remote control of transcription, DNA looping and DNA compaction, 1261
DNA looping — The remote control of transcription, DNA looping and DNA compaction, 1261
DNA polymerase II — SOS-inducible DNA polymerase II of *E coli* is homologous to replicative DNA polymerase of eukaryotes, 433
DNA-protein interactions — The remote control of transcription, DNA looping and DNA compaction, 1261
DNA recombination — Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235
DNA repair — RecA protein in the SOS response: milestones and mysteries, 133 — Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235 — Characterization of *recF* suppressors in *Bacillus subtilis*, 277 — Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335 — Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505
DNA replication — SOS-inducible DNA polymerase II of *E coli* is homologous to replicative DNA polymerase of eukaryotes, 433
DNA sequencing — Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335
DNA strand exchange — An overview of homologous pairing and DNA strand exchange proteins, 163 — RecA-DNA helical filaments in genetic recombination, 199 — Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289
DNA supercoiling — Homologous pairing between nucleosome cores on a linear duplex DNA and nucleoprotein filaments of RecA protein-single stranded DNA, 187
Double-strand-break repair — The split-end model for homologous recombination at double-strand breaks and at Chi, 385
Double-strand breaks — The split-end model for homologous recombination at double-strand breaks and at Chi, 385
Duplex-duplex pairing — RecA protein-promoted homologous pairing between duplex molecules: functional role of duplex regions of gapped duplex DNA, 157
Dynamic light scattering — Dynamic light scattering investigations of RecA self-assembly and interactions with single strand DNA, 143
Dynamics — Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295

E

e14 — Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399
EF-1α — Purification and characterization of a germ cell-specific form of elongation factor 1α (EF-1α) from *Xenopus laevis*, 1249
EF-Tu mutants — Structure-function relationships of elongation factor Tu as studied by mutagenesis, 1051
EF-Tu structure — Missense substitutions lethal to essential functions of EF-Tu, 1457
Electron microscopy — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919
ELISA — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Elongation factor — Purification and characterization of a germ cell-specific form of elongation factor 1α (EF-1α) from *Xenopus laevis*, 1249
Elongation factor-2 — Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151
Elongation factor SELB — The function of selenocysteine synthase and SELB in the synthesis and incorporation of selenocysteine, 1481
Elongation factor Tu — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037 — How many EF-Tu molecules participate in aminoacyl-tRNA binding? 1045 — The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089
Elongation factors translocation — Functional aspects of ribosomal proteins, 1093
Encapsidation — The interaction of wheat germ tyrosyl-tRNA synthetase and the tRNA-like end of brome mosaic virus RNA has no effect on *in vitro* viral protein synthesis and on *in vitro* encapsidation, 1269
End joining — Biochemical studies of homologous and nonhomologous recombination in human cells, 257
Endosymbiont theory — The nuclear:organelle distribution of chloroplast ribosomal proteins genes. Features of a cDNA clone encoding the cytoplasmic precursor of L11, 845
Energetics of recombination reaction — RecA-DNA helical filaments in genetic recombination, 199
Enhancers — The remote control of transcription, DNA looping and DNA compaction, 1261
Enzymatic properties — Glycosyl-phosphatidylinositol

anchored acetylcholinesterase as substrate for phosphatidylinositol-specific phospholipase C from *Bacillus cereus*, 1179

Enzymes —*rec* genes and homologous recombination proteins in *Escherichia coli*, 523

Epitopes — Monoclonal antibodies and mechanistic studies on recA protein, 209

Error-loops — Connections between translation, transcription and replication error-rates, 1517

Error-prone repair — Mutagenic DNA repair in *Escherichia coli*. XIX.. On the roles of RecA protein in ultraviolet light mutagenesis, 485

Escherichia coli — Monoclonal antibodies and mechanistic studies on recA protein, 209 — Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501 — A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515 — *rec* genes and homologous recombination proteins in *Escherichia coli*, 523 — Ribosomal protein L4 of *Escherichia coli: in vitro* analysis of L4-mediated attenuation control, 719 — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919 — Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991 — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037 — Missense substitutions lethal to essential functions of EF-Tu, 1457 — Evidence for demand-regulation of ribosome accumulation in *E coli*, 1551

***Escherichia coli recA* gene** — Expression of the *Escherichia coli recA* gene in the yeast *Saccharomyces cerevisiae*, 285

ETS — Preribosomal RNA processing in *Xenopus* oocytes does not include cleavage within the external transcribed spacer as an early step, 805

Eubacteria — Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657

Eukaryotic initiation factors eIF-2 and eIF-3 — Eukaryotic initiation factors eIF-2 and eIF-3: interactions, structure and localization in ribosomal initiation complexes, 1007

Evolution — Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657 — Characterization and primary structure of proteins L28, L33 and L34 from *Bacillus stearothermophilus* ribosomes, 855

Exit site (E site) — The function of the translating ribosome: allosteric three-site model of elongation, 1067

Exons–introns — Avoidance of inter-repeat recombination by sequence divergence and a mechanism of neutral evolution, 357

3' to 5' Exoribonucleases — Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543

Expression — Towards understanding the glycoprotein hormone receptors, 109

Expression of *recA* in yeast — Expression of the *Escherichia coli recA* gene in the yeast *Saccharomyces cerevisiae*, 285

F

σ Factor — Regulation of the heat shock reponse in *E coli* : involvement of positive and negative cis-acting elements in translational control of σ^{32} synthesis, 1473

Fatty acid synthesis — Hexose metabolism in pancreatic islets. Effect of (—)-hydroxycitrate upon fatty acid synthesis and insulin release in glucose-stimulated islets, 1287

Filament formation — RNA binding by the tat and rev proteins of HIV-1, 9

Filamentous polymers — On the polymerization state of recA in the absence of DNA, 191

Filaments — The solution structure of recA filaments by small angle neutron scattering, 227

FIS — FIS-induced bending of a region upstream of the promoter activates transcription of the *E coli thrU (tufB)* operon, 713

Fluorescence — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551 — The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245 — Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397

Frameshift — Roles of recA mutant allele (*recA495)* in frameshift mutagenesis, 491 — Sequence and functional analysis of mutations in the gene encoding peptide-chain-release factor 2 of *Escherichia coli*, 1509

***fre* sites** — Genetic control of recombination exchange frequency in *Escherichia coli* K-12, 305

Fructose — *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105

Fructose-1,6-bisphosphatase — Non reductive activation of spinach chloroplastic fructose-1,6-bisphosphatase: evidence for structural modification of the enzyme, 1205

Fuels starvation — Metabolism of glucose, glutamine, long-chain fatty acids and ketone bodies by lungs of the rat, 557

Function — Structure and function of the maize *Spm* transposable element, 5 — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971

Functional domain — Interaction of the release factors with the *Escherichia coli* ribosome: structurally and functionally-important domains, 1113

G

G binding protein — Structural and functional domains of *E*

coli initiation factor IF2, 1557
G domain — Structural and functional domains of *E coli* initiation factor IF2, 1557
Gam protein — Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501
Gamma-radiation — Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501
Gastrin/CCK — Structure and biological activity of crustacean gastrointestinal peptides identified with antibodies to gastrin/cholecystokinin, 1233
GDP — Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151
Gene amplification — Amplification of Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
Gene expression — The promoter of the *recA* gene of *Escherichia coli*, 457 — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037 — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Gene fusion — The relation between translation and mRNA degradation in the *lacZ* gene, 1533
Gene modifications — Genetic engineering and overexpression of ribosomal L12 protein genes from three different archaebacteria in *E coli*, 647
Gene organization — Structure and organization of ribosomal DNA, 631
Gene regulation – Gene regulation by interleukin 6, 47 — The *recE(A)*$^+$ gene of *B subtilis* and its gene product: further characterization of this universal protein, 245 — Repression of the *E coli recA* gene requires at least two LexA protein monomers, 449
Gene structure — The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679
Gene targeting — Biochemical studies of homologous and nonhomologous recombination in human cells, 257
Genetic recombination — An overview of homologous pairing and DNA strand exchange proteins, 163 — Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289
Genetic suppression — Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445
Genetic variant — Albumin Paris 2: a new genetic variant distinguished by isoelectric focusing, 617
Genome sequencing — Multiple IS insertion sequences near the replication terminus in *Escherichia coli* K-12, 1361
Geotropism — Mechanogenetic regulation of transcription, 1219
Glial cells — Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93
Glucocorticoid receptor — Regulation of glucocorticoid receptor expression, 51
Glucokinase — Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat, 71
Glucose transport — Glucose transporters: structure, function, and regulation, 67
Glutamate — Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93
Glutamine — Mutant enzymes and tRNAs as probes of the glutaminyl-tRNA synthetase: $tRNA^{Gln}$ interaction, 1501
Glycine betaine — Characterization of an osmoregulated periplasmic glycine betaine-binding protein in *Azospirillum brasilense* sp7, 1187
Glycogen phosphorylase β — Interaction of flavin mononucleotide with dimeric and tetrameric forms of muscle phosphorylase β, 1339
Glycolipids — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Glycoprotein hormone receptors — Towards understanding the glycoprotein hormone receptors, 109
Glycoproteins — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Glycosyl-inositol-phosphate — Glycosyl phosphatidylinositol in thyroid: cell signalling or protein anchor? 37
Glycosyl-phosphatidylinositol — Glycosyl phosphatidylinositol in thyroid: cell signalling or protein anchor? 37
Glycosyl-phosphatidylinositol anchor — Glycosyl-phosphatidylinositol anchored acetylcholinesterase as substrate for phosphatidylinositol-specific phospholipase C from *Bacillus cereus*, 1179
Growth control — Evidence for demand-regulation of ribosome accumulation in *E coli*, 1551
Growth phenotypes — Is there a unique ribosome phenotype for naturally occurring *Escherichia coli?* 1061
GTP — Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151
GTP hydrolysis— Functional aspects of ribosomal proteins, 1093
GTPase — Structure-function relationships of elongation factor Tu as studied by mutagenesis, 1051
GTPase activity — The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089
GTPase centre — The binding of thiostrepton to 23S ribosomal RNA, 1131
gyrA — Influence of *recA* mutations on *gyrA* dependent quinolone resistance, 519

H

^{2}H, ^{31}P-NMR — Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295
Haldane formula — Genetic control of recombination

exchange frequency in *Escherichia coli* K-12, 305
HDL — Cholesterol-induced alteration of apolipoprotein A-I conformation in reassembled high density lipoprotein, 1173
Head to head dimer — Head to head dimer model; an alternative model for the strand exchange reaction by RecA protein of *Escherichia coli*, 177
Heat shock protein — Regulation of the heat shock reponse in *E coli*: involvement of positive and negative cis-acting elements in translational control of σ^{32} synthesis, 1473
α-Helix — Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397
Hemopoietic growth factor — 20α-Hydroxysteroid dehydrogenase expression in a murine virus-induced myeloproliferative syndrome, 1351
Hepatocyte primary culture — Dimethyl sulfoxide enhances lipid synthesis and secretion by long-term cultures of adult rat hepatocytes, 621
Heteroduplex DNA — Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371
Hirudin — Proteases and their inhibitors: today and tomorrow, 121
HIV-1 aspartyl protease BRU — The three-dimensional structure of the aspartyl protease from the HIV-1 isolate BRU, 1391
HIV-1 protease — Proteases and their inhibitors: today and tomorrow, 121
HMG proteins — Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2, 615
^3H_2O — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Homeobox — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85 — Identification of a mouse cDNA fragment whose expressed polypeptide reacts with anti-recA antibodies, 251
Homologies — Comparative analysis of ribosomal protein L5 sequences from bacteria of the genus *Thermus*, 669
Homologous genetic recombination — Monoclonal antibodies and mechanistic studies on recA protein, 209
Homologous pairing — An overview of homologous pairing and DNA strand exchange proteins, 163 — Monoclonal antibodies and mechanistic studies on recA protein, 209
Homologous recombination — RecA protein-promoted homologous pairing between duplex molecules: functional role of duplex regions of gapped duplex DNA, 157 — Head to head dimer model; an alternative model for the strand exchange reaction by RecA protein of *Escherichia coli*, 177 — Homologous pairing between nucleosome cores on a linear duplex DNA and nucleoprotein filaments of RecA protein-single stranded DNA, 187 — RecA-DNA helical filaments in genetic recombination, 199 — Genetic control of recombination exchange frequency in *Escherichia coli* K-12, 305 — Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371
Horse — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
HPr — The presence of two forms of the phosphocarrier protein HPr of the phosphoenolpyruvate:sugar phosphotransferase system in streptococci, 573 — HPr polymorphism in oral streptococci is caused by the partial removal of the N-terminal methionine, 1435
Human cells — Amplification of Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
Human erythrocyte — Kinetic properties of normal human erythrocyte glucose-6-phosphate dehydrogenase dimers, 1211
Human liver — *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105
Hybrid DNA — *Saccharomyces cerevisiae* proteins involved in hybrid DNA formation *in vitro*, 269
Hybrid enzymes — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375
(—)-Hydroxycitrate — Hexose metabolism in pancreatic islets. Effect of (—)-hydroxycitrate upon fatty acid synthesis and insulin release in glucose-stimulated islets, 1287
Hydroxy-3-methylglutaryl CoA reductase — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Hyper-recombination — Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Hypertension — Proteases and their inhibitors: today and tomorrow, 121

I

IF2α IF2β — Structural and functional domains of *E coli* initiation factor IF2, 1557
IgG — Monoclonal antibodies and mechanistic studies on recA protein, 209
Immune electron microscopy — Localization of a segment of 16S RNA on the surface of the small ribosomal subunit by immune electron microscopy of complementary oligodeoxynucleotides, 911 — Eukaryotic initiation factors eIF-2 and eIF-3: interactions, structure and localization in ribosomal initiation complexes, 1007
Immunoaffinity chromatography — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Immunomodulating effect — Oxysterols: biological activities and physicochemical studies, 1317
Immunosuppression — Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321
Ind^s mutations — Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411
Induced replisome reactivation — Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of

Escherichia coli, 437
Inflammation – Gene regulation by interleukin 6, 47 — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Initiation — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971
Initiation factor IF2 — Superexpression and fast purification of *E coli* initiation factor IF2, 983 — Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991
Initiation factors — Site-directed mutagenesis and NMR spectroscopic approaches to the elucidation of the structure–function relationships in translation initiation factors IF1 and IF3, 1001
Inosine — 2'-*O*-methylation and inosine formation in the wobble position of anticodon-substituted tRNA-Phe in a homologous yeast *in vitro* system, 1021
Insulin release — Hexose metabolism in pancreatic islets: pyruvate carboxylase activity, 583 — Hexose metabolism in pancreatic islets. Effect of (—)-hydroxycitrate upon fatty acid synthesis and insulin release in glucose-stimulated islets, 1287
Insulin resistance — Glucose transporters: structure, function, and regulation, 67
Interaction site — Chemical, biochemical and genetic endeavours characterizing the interaction of sparsomycin with the ribosome, 1137
Intergenic suppression — Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
Interleukin 6 – Gene regulation by interleukin 6, 47
Interspecific recombination — Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371
Intramolecular reaction — Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411
***In vitro* translation** — Translation *in vitro* of codon UGA as tryptophan in *Mycoplasma capricolum*, 1109
In vivo — *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105
Ion-exchange HPLC — Fast preparative separation of 'native' core *E coli* 30S ribosomal proteins, 607
IS2 — Multiple IS insertion sequences near the replication terminus in *Escherichia coli* K-12, 1361
IS30 — Multiple IS insertion sequences near the replication terminus in *Escherichia coli* K-12, 1361
Iso-1-cytochrome *c* — Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445
Isoelectric focusing — Albumin Paris 2: a new genetic variant distinguished by isoelectric focusing, 617
Isoforms — New insights into the mitochondrial carnitine palmitoyltransferase enzyme system, 77
Isotope equilibrium — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327

J

Junk DNA — Avoidance of inter-repeat recombination by sequence divergence and a mechanism of neutral evolution, 357

K

Kin17 protein — Identification of a mouse cDNA fragment whose expressed polypeptide reacts with anti-recA antibodies, 251
Kinetics — Kinetic properties of normal human erythrocyte glucose-6-phosphate dehydrogenase dimers, 1211 — Monovalent cation-dependent reversible phosporylation of ribosomal protein S8 in growth arrested *Tetrahymena* : kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275
Krox-20 — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85

L

L5 — The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679
L7/L12 proteins — Overexpression of L7/L12 protein with mutations in its flexible region, 1387
L12 proteins — Functional aspects of ribosomal proteins, 1093
Lactococcus lactis — Identification of a RecA-like protein in *Lactococcus lactis*, 231
***lacZ* gene** — The relation between translation and mRNA degradation in the *lacZ* gene, 1533
Lambda phage — Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501
Lambda prophage induction — Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235
Lectin — Chemical modification studies of *Artocarpus lakoocha* lectin artocarpin, 563
LexA — UV induction of LexA independent proteins which could be involved in SOS repair, 407
LexA protein — RecA protein in the SOS response: milestones and mysteries, 133
LexA repressor — DNA binding properties of the LexA repressor, 423 — The promoter of the *recA* gene of *Escherichia coli*, 457
Ligand blotting — Towards understanding the glycoprotein hormone receptors, 109
Linear dichroism — Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219
Linear DNA plasmid — Promoter activity associated with the left inverted terminal repeat of the killer plasmid k1 from yeast, 1195

Lipid secretion — Dimethyl sulfoxide enhances lipid synthesis and secretion by long-term cultures of adult rat hepatocytes, 621
Lipid synthesis — Dimethyl sulfoxide enhances lipid synthesis and secretion by long-term cultures of adult rat hepatocytes, 621
Low copy number plasmids carrying *umu* genes — Substitution of UmuD' for UmuD does not affect SOS mutagenesis, 471
Luciferase — UAG readthrough is not increased *in vivo* by Moloney murine leukemia virus infection, 1291 — Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Lungs — Metabolism of glucose, glutamine, long-chain fatty acids and ketone bodies by lungs of the rat, 557

M

Magic spot — How does ppGpp affect translational accuracy in the stringent response? 599
Magnetic resonance spectroscopy — *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105
Major histocompatibility complex — Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
Mammalian recombination — Biochemical studies of homologous and nonhomologous recombination in human cells, 257
Man — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Marcks protein — Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321
Maximal enzyme activities — Metabolism of glucose, glutamine, long-chain fatty acids and ketone bodies by lungs of the rat, 557
mcrA — Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399
Mechanism — Kinetic properties of normal human erythrocyte glucose-6-phosphate dehydrogenase dimers, 1211
Mechanogenetic control — Mechanogenetic regulation of transcription, 1219
Membrane — Modulation of membrane function by cholesterol, 1303
Membrane affinity — Oxysterols: biological activities and physicochemical studies, 1317
Membrane dynamic properties — Oxysterols: biological activities and physicochemical studies, 1317
Membrane lipid modulation — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Metabolism — Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93 — Metabolism of glucose, glutamine, long-chain fatty acids and ketone bodies by lungs of the rat, 557
Methanococcus — The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797
Microsomal C/P molar ratio — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327
Mismatch repair — Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371
Missense — Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Missense mutations — Missense substitutions lethal to essential functions of EF-Tu, 1457
Mistranslation — Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Mitochondria — Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2, 615 — The mitochondrial ribosomes, 813 — Identification of nuclear genes which participate to mitochondrial translation in *Saccharomyces cerevisiae*, 1525
Mitochondrial function — The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837
Mitochondrial ribosomes — Proteins of mammalian mitochondrial ribosomes, 827
Mitoribosomal proteins — The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837
Model membranes — Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295 — Influence of phospholipid unsaturation on the cholesterol distribution in membranes, 1311
Modified nucleosides — Wobble position modified nucleosides evolved to select transfer RNA codon recognition: a modified-wobble hypothesis, 1345
Modified nucleotides — The absence of modified nucleotides affects both *in vitro* assembly and *in vitro* function of the 30S ribosomal subunit of *Escherichia coli*, 789
Modified-wobble hypothesis — Wobble position modified nucleosides evolved to select transfer RNA codon recognition: a modified-wobble hypothesis, 1345
Molecular mass — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919
Monoclonal antibody cross-reactivity — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Morphology — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919
Mouse embryo — Identification of a mouse cDNA fragment whose expressed polypeptide reacts with anti-recA antibodies, 251
mRNA — Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat, 71 — Ribosome-mRNA contact sites

at different stages of translation initiation as revealed by cross-linking of model mRNAs, 1543

mRNA binding — The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245

mRNA degradation — Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543

mRNA secondary structure — Regulation of the heat shock reponse in *E coli*: involvement of positive and negative *cis*-acting elements in translational control of σ^{32} synthesis, 1473

mRNA size — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861

mRNA stability — Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543 — Turnover rate of yeast PGK mRNA can be changed by specific alterations in its trailer structure, 729 — The relation between translation and mRNA degradation in the *lacZ* gene, 1533

mRNA topography — How does the mRNA pass through the ribosome ? 937

mRNAs — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971 — A rRNA-mRNA base pairing model for UGA-dependent termination, 1121 — Ribosome-mRNA contact sites at different stages of translation initiation as revealed by cross-linking of model mRNAs, 1543

Muscle hypertrophy — Mechanogenetic regulation of transcription, 1219

Mut⁻ dominant phenotype — A RecA protein mutant deficient in its interaction with the UmuDC complex, 479

Mutagen sensitivity — Isolation and characterisation of *nuv*11, a mutation affecting meiotic and mitotic recombination in *Aspergillus nidulans*, 321

Mutagenesis — Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399 — Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of *Escherichia coli*, 437 — Repression of the *Escherichia coli recA* gene requires at least two LexA protein monomers, 449 — Mutagenic DNA repair in *Escherichia coli*. XIX.. On the roles of RecA protein in ultraviolet light mutagenesis, 485 — Roles of recA mutant allele (*recA495)* in frameshift mutagenesis, 491 — Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505 — Overexpression of L7/L12 protein with mutations in its flexible region, 1387 — Interaction between 16S ribosomal RNA and ribosomal protein S12: differential effects of paromomycin and streptomycin, 1493

Mutants — Mutant enzymes and tRNAs as probes of the glutaminyl-tRNA synthetase: $tRNA^{Gln}$ interaction, 1501 — Identification of nuclear genes which participate to mitochondrial translation in *Saccharomyces cerevisiae*, 1525

Mutation rates — Connections between translation, transcription and replication error-rates, 1517

Mycoplasma — Translation *in vitro* of codon UGA as tryptophan in *Mycoplasma capricolum*, 1109

Myeloproliferative sarcoma virus — 20α-Hydroxysteroid dehydrogenase expression in a murine virus-induced myeloproliferative syndrome, 1351

Myeloproliferative syndrome — 20α-Hydroxysteroid dehydrogenase expression in a murine virus-induced myeloproliferative syndrome, 1351

N

N-AcO-AAF — Roles of recA mutant allele (*recA495)* in frameshift mutagenesis, 491

N-terminal methionine — HPr polymorphism in oral streptococci is caused by the partial removal of the N-terminal methionine, 1435

Nascent peptide — The use of synthetic tRNAs as probes for examining nascent peptides on *Escherichia coli* ribosomes, 1101

Nascent polypeptide — The side-by-side model of two tRNA molecules allowing the α-helical conformation of the nascent polypeptide during the ribosomal transpeptidation, 947

Native form — Fast preparative separation of 'native' core *E coli* 30S ribosomal proteins, 607

Natural *Escherichia coli* — Is there a unique ribosome phenotype for naturally occurring *Escherichia coli?* 1061

Natural isolates — Evidence for demand-regulation of ribosome accumulation in *E coli*, 1551

Natural pterin — The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281

Neopterin isomer — The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281

Neutron diffraction — The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879

Neutron scattering — The solution structure of recA filaments by small angle neutron scattering, 227

NMR — Magnetic resonance spectroscopy and metabolism. Applications of proton and ^{13}C NMR to the study of glutamate metabolism in cultured glial cells and human brain *in vivo*, 93 — Fast preparative separation of 'native' core *E coli* 30S ribosomal proteins, 607 — On the conformation of the alpha sarcin stem-loop of 28S rRNA, 871 — Phosphoglucoisomerase-catalyzed interconversion of hexose phosphates: distinction of the 1-monodeutero-isotopomers of D-fructose 6-phosphate by ^1H NMR spectroscopy, 1241

Nonsense suppression — Ribosomal RNA and peptidyl-tRNA hydrolase: a peptide chain termination model for lambda

bar RNA inhibition, 1573
Normal G6PD dimers — Kinetic properties of normal human erythrocyte glucose-6-phosphate dehydrogenase dimers, 1211
Nuclear genes — The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837
Nuclear polarisation — Frozen spin targets in ribosomal structure research, 899
Nucleotide sequence — Presence of a gene in the archaebacterium *Methanococcus vannielii* homologous to *secY* of eubacteria, 683 — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861
Number of genes — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861
***nuv*11** — Isolation and characterisation of *nuv*11, a mutation affecting meiotic and mitotic recombination in *Aspergillus nidulans*, 321

O

2'-*O*-methyl nucleosides — 2'-*O*-methylation and inosine formation in the wobble position of anticodon-substituted tRNA-Phe in a homologous yeast *in vitro* system, 1021
Oligodeoxyribonucleotides — Modified oligonucleotides in rabbit reticulocytes: uptake, stability and antisense properties, 1403
Oligomer — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971
Oligonucleotides — The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837
Oncogenicity — Activation of the cyclic AMP cascade as an oncogenic mechanism: the thyroid example, 29
Oogenesis protein synthesis — Purification and characterization of a germ cell-specific form of elongation factor 1α(EF-1α) from *Xenopus laevis*, 1249
Overexpression — Genetic engineering and overexpression of ribosomal L12 protein genes from three different archaebacteria in *E coli*, 647
Oxysterols — Oxysterols: biological activities and physicochemical studies, 1317 — Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321

P

p40 — Properties of an abundant RNA-binding protein in yeast mitochondria, 1487
P-site — The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089
Pactamycin — Binding sites of the antibiotics pactamycin and celesticetin on ribosomal RNAs, 1145
Pancreas — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
Pancreatic islets — Hexose metabolism in pancreatic islets: pyruvate carboxylase activity, 583 — Hexose metabolism in pancreatic islets. Effect of (—)-hydroxycitrate upon fatty acid synthesis and insulin release in glucose-stimulated islets, 1287
Paranemic and plectonemic joint molecules — Homologous pairing between nucleosome cores on a linear duplex DNA and nucleoprotein filaments of RecA protein-single stranded DNA, 187
Paromomycin — Interaction between 16S ribosomal RNA and ribosomal protein S12: differential effects of paromomycin and streptomycin, 1493
Pathways — Overlapping functions of *recD, recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313
PCR — Overexpression of L7/L12 protein with mutations in its flexible region, 1387 — Missense substitutions lethal to essential functions of EF-Tu, 1457
Penicillin-binding proteins — Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
Peptidyl transferase center — A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961
PET factors — Properties of an abundant RNA-binding protein in yeast mitochondria, 1487
Phase separation — Influence of phospholipid unsaturation on the cholesterol distribution in membranes, 1311
Phosphatidylinositol-specific phospholipase C — Glycosyl-phosphatidylinositol anchored acetyl-cholinesterase as substrate for phosphatidyl-inositol-specific phospholipase C from *Bacillus cereus*, 1179
Phosphoamino acid — Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena*: kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275
Phosphoenolpyruvate carboxykinase — Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat, 71
Phosphoglucoisomerase — Phosphoglucoisomerase-catalyzed interconversion of hexose phosphates: distinction of the 1-monodeutero-isotopomers of D-fructose 6-phosphate by ^{1}H NMR spectroscopy, 1241
Phospholipid unsaturation — Influence of phospholipid unsaturation on the cholesterol distribution in membranes, 1311
Phosphopeptide — Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena*: kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and

diphosphorylated derivatives of protein S8, 1275
Phosphorus 31 — *In vivo* monitoring of fructose metabolism in the human liver by means of ^{31}P magnetic resonance spectroscopy, 105
Phosphorylation — Effect of ADP-ribosylation and phosphorylation on the interaction of elongation factor 2 with guanylic nucleotides, 1151 — Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena*: kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275
Phosphotransferase system — The presence of two forms of the phosphocarrier protein HPr of the phosphoenol-pyruvate:sugar phosphotransferase system in streptococci, 573
Phylogenetic analysis — Structure and evolution of ribonuclease P RNA, 689
Phylogeny — Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465
Physarum polycephalum — A phylogenetic study of U4 snRNA reveals the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
Pig — Antigen specificity and cross-species reactivity of a monoclonal antibody (mAb 72.11) against porcine pancreatic procolipase, 1417
pKM101 plasmid — A RecA protein mutant deficient in its interaction with the UmuDC complex, 479
Plant virus — Translational efficiency and competitive ability of mRNAs with 5'-untranslated αβ-leader of potato virus X RNA, 587
Plasma — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Polarised neutrons — Frozen spin targets in ribosomal structure research, 899
***polB* gene** — SOS-inducible DNA polymerase II of *E coli* is homologous to replicative DNA polymerase of eukaryotes, 433
Polymerization state — On the polymerization state of recA in the absence of DNA, 191
Polynucleotide phosphorylase — Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543
Post-UV DNA synthesis — A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515
Posttranslational modifications — Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321
ppGpp — How does ppGpp affect translational accuracy in the stringent response? 599
Pressure effect — Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611
Primary biliary cirrhosis — Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
Primary structure — Sequence of a new $tRNA^{Leu}$(U*AA) from brewer's yeast, 1355
Probes — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971
Processive unwinding — Monoclonal antibodies and mechanistic studies on recA protein, 209
Proliferation — Activation of the cyclic AMP cascade as an oncogenic mechanism: the thyroid example, 29
Promoter mutants — The promoter of the *recA* gene of *Escherichia coli*, 457
Promoters — Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329 — Promoter activity associated with the left inverted terminal repeat of the killer plasmid k1 from yeast, 1195
Prophage induction — RecA protein in the SOS response: milestones and mysteries, 133
Protein — Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena* : kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275
Proteins L7/L12 — The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797
Protein L10 — The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797
Protein L11 — The binding of thiostrepton to 23S ribosomal RNA, 1131
Protein aggregation — Dynamic light scattering investigations of RecA self-assembly and interactions with single strand DNA, 143
Protein binding site — RNA-protein interactions in the *Escherichia coli* ribosome, 927
Protein biosynthesis — Aminoacylation of tRNAs as critical step of protein biosynthesis, 1027 — Structure-function relationships of elongation factor Tu as studied by mutagenesis, 1051
Protein-DNA interaction — Positive and negative regulation of gene expression by insulin and glucagon: the model of L-type pyruvate kinase gene, 41 — RecA-DNA helical filaments in genetic recombination, 199 — DNA binding properties of the LexA repressor, 423
Protein folding — The three-dimensional structure of the aspartyl protease from the HIV-1 isolate BRU, 1391
Protein foot-print — RNA-protein interactions in the *Escherichia coli* ribosome, 927
Protein HPLC — The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769
Protein hydrophobic surfaces — The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245
Protein kinase C — Membrane-related oxysterol function: preliminary results on the modification of protein kinase C activity and substrate phosphorylation by 7β,25-dihydroxycholesterol, 1321 — Calpain 1-protein kinase C complex: effect of calpain inhibitors after dissociation, 1409

Protein modification — HPr polymorphism in oral streptococci is caused by the partial removal of the N-terminal methionine, 1435
Protein phosphorylation — The presence of two forms of the phosphocarrier protein HPr of the phosphoenolpyruvate: sugar phosphotransferase system in streptococci, 573
Protein:protein interaction — The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769
Protein purification — Genetic engineering and overexpression of ribosomal L12 protein genes from three different archaebacteria in *E coli*, 647 — Superexpression and fast purification of *E coli* initiation factor IF2, 983
Protein secretion — Presence of a gene in the archaebacterium *Methanococcus vannielii* homologous to *secY* of eubacteria, 683
Protein sequencing — Characterization and primary structure of proteins L28, L33 and L34 from *Bacillus stearothermophilus* ribosomes, 855
Protein synthesis — Site-directed mutagenesis and NMR spectroscopic approaches to the elucidation of the structure–function relationships in translation initiation factors IF1 and IF3, 1001 — How many EF-Tu molecules participate in aminoacyl-tRNA binding? 1045
Proteus mirabilis — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375
Proton NMR spectroscopy — Variations of plasma sialic acid and *N*-acetylglucosamine levels in cancer, inflammatory diseases and bone marrow transplantation: a proton NMR spectroscopy study, 99
Pulsed field gel electrophoresis — Tandem duplications of the *lac* region of the *Escherichia coli* chromosome, 343
Pyruvate carboxylase — Hexose metabolism in pancreatic islets: pyruvate carboxylase activity, 583

Q

Quenching — Chlorpheniramine binding to human serum albumin by fluorescence quenching measurements, 551
Quinolone resistance — Influence of *recA* mutations on *gyrA* dependent quinolone resistance, 519
Quinoprotein glucose dehydrogenase — Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611

R

Radius of gyration — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919
Raman spectroscopy — A comparative Raman spectroscopic study of cholinesterases, 1375
Readthrough — UAG readthrough is not increased *in vivo* by Moloney murine leukemia virus infection, 1291
***rec* genes** — Overlapping functions of *recD, recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313
RecA — Dynamic light scattering investigations of RecA self-assembly and interactions with single strand DNA, 143 — On the polymerization state of recA in the absence of DNA, 191 — Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219 — The solution structure of recA filaments by small angle neutron scattering, 227 — Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235 — Characterization of *recF* suppressors in *Bacillus subtilis*, 277 — Site-directed mutagenesis in the *Escherichia coli recA* gene, 281 — The split-end model for homologous recombination at double-strand breaks and at Chi, 385 — UV induction of LexA independent proteins which could be involved in SOS repair, 407— Roles of recA mutant allele (*recA495)* in frameshift mutagenesis, 491— Influence of *recA* mutations on *gyrA* dependent quinolone resistance, 519 — *rec* genes and homologous recombination proteins in *Escherichia coli*, 523
recA430 — Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of *Escherichia coli*, 437
RecA-DNA complex — Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219 — The solution structure of recA filaments by small angle neutron scattering, 227
RecA functions — A RecA protein mutant deficient in its interaction with the UmuDC complex, 479
***recA* gene**
RecA homologue — Identification of a RecA-like protein in *Lactococcus lactis*, 231
***recA* mutants** — Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335
RecA protein — RecA protein-promoted homologous pairing between duplex molecules: functional role of duplex regions of gapped duplex DNA, 157 — An overview of homologous pairing and DNA strand exchange proteins, 163 — Head to head dimer model; an alternative model for the strand exchange reaction by RecA protein of *Escherichia coli*, 177 — RecA-DNA helical filaments in genetic recombination, 199 — Identification of a mouse cDNA fragment whose expressed polypeptide reacts with anti-recA antibodies, 251 — Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289 — Production of triple-stranded recombination intermediates by RecA protein, *in vitro*, 363 — Mutagenic DNA repair in *Escherichia coli*. XIX.. On the roles of RecA protein in ultraviolet light mutagenesis, 485 — A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515
RecA(E) protein — The *recE(A)*$^+$ gene of *B subtilis* and its gene product: further characterization of this universal protein, 245

RecBCD — The split-end model for homologous recombination at double-strand breaks and at Chi, 385

RecBCD and RecF pathways — Genetic control of recombination exchange frequency in *Escherichia coli* K-12, 305

RecBCD enzymes — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375 — Interaction of λ Gam protein with the RecD subunit of Recbcd enzyme increases radioresistance of the wild-type *Escherichia coli*, 501

recF — Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329

***RecF* gene** — Characterization of *recF* suppressors in *Bacillus subtilis*, 277

***recF, recQ, ruv, recJ, recN* and *sbcC* genes** — Genetic control of recombination exchange frequency in *Escherichia coli* K-12, 305

***RecF* suppresssors** — Cloning and preliminary characterization of *srf-2020* and *srf-801*, the *recF* partial suppressor mutations which map in *recA* of *Escherichia coli* K-12, 335

Receptors – Gene regulation by interleukin 6, 47

Recombinant DNA — Translational efficiency and competitive ability of mRNAs with 5'-untranslated αβ-leader of potato virus X RNA, 587 — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861

Recombinant IF2 — Superexpression and fast purification of *E coli* initiation factor IF2, 983

Recombinant protein — Towards understanding the glycoprotein hormone receptors, 109

Recombination — Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219 — *Saccharomyces cerevisiae* proteins involved in hybrid DNA formation *in vitro*, 269 — Site-directed mutagenesis in the *Escherichia coli recA* gene, 281 — Overlapping functions of *recD, recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313 — Tandem duplications of the *lac* region of the *Escherichia coli* chromosome, 343 — Production of triple-stranded recombination intermediates by RecA protein, *in vitro*, 363 — The split-end model for homologous recombination at double-strand breaks and at Chi, 385 — Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of *Escherichia coli*, 437 — Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505 — Influence of *recA* mutations on *gyrA* dependent quinolone resistance, 519 — *rec* genes and homologous recombination proteins in *Escherichia coli*, 523

Recombination deficiency — RecBC promoted repair of bleomycin damage in *Escherichia coli*, 497

Recombination-defective mutants — Isolation and characterisation of *nuv*11, a mutation affecting meiotic and mitotic recombination in *Aspergillus nidulans*, 321

Recombination pathways — Interspecific recombination between *Escherichia coli* and *Salmonella typhimurium* occurs by the RecABCD pathway, 371 — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375 — *rec* genes and homologous recombination proteins in *Escherichia coli*, 523

Reconstitution — The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769

Regeneration of native conformation — Regeneration of native ovalbumin conformation disrupted by citraconylation, 1397

Regulation — Structure and function of the maize *Spm* transposable element, 5 — Dietary cholesterol, membrane cholesterol and cholesterol synthesis, 1327

Regulation of transcription — DNA binding properties of the LexA repressor, 423 — The remote control of transcription, DNA looping and DNA compaction, 1261

Regulon — Repression of the *E coli recA* gene requires at least two LexA protein monomers, 449

Release factor — Interaction of the release factors with the *Escherichia coli* ribosome: structurally and functionally-important domains, 1113 — A rRNA-mRNA base pairing model for UGA-dependent termination, 1121

Renin — Proteases and their inhibitors: today and tomorrow, 121

Repair of DNA strand breaks — RecBC promoted repair of bleomycin damage in *Escherichia coli*, 497

Repeat-induced DNA methylation and mutagenesis — Avoidance of inter-repeat recombination by sequence divergence and a mechanism of neutral evolution, 357

Repetitive sequences — Roles of recA mutant allele (*recA495)* in frameshift mutagenesis, 491

Replication — Biochemical studies of homologous and nonhomologous recombination in human cells, 257

Repression — The remote control of transcription, DNA looping and DNA compaction, 1261

Repressor — Repression of the *E coli recA* gene requires at least two LexA protein monomers, 449

Repressor cleavage — Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289

Restriction alleviation — Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399

RF2 — Sequence and functional analysis of mutations in the gene encoding peptide-chain-release factor 2 of *Escherichia coli*, 1509

Rho factor — Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329

Rhombomeres — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85

Ribonuclease II — Different specificities of ribonuclease II and polynucleotide phosphorylase in 3' mRNA decay, 543

Ribosomal assembly — The assembly of prokaryotic ribosomes, 739

Ribosomal biogenesis— Analysis of sequence elements

important for the synthesis and control of ribosomal RNA in *E coli*, 699
Ribosomal DNA — Structure and organization of ribosomal DNA, 631
Ribosomal kinetics — Evidence for demand-regulation of ribosome accumulation in *E coli*, 1551
Ribosomal mutants — Mutants lacking individual ribosomal proteins as a tool to investigate ribosomal properties, 639
Ribosomal protein S12 — Interaction between 16S ribosomal RNA and ribosomal protein S12: differential effects of paromomycin and streptomycin, 1493
Ribosomal proteins — Fast preparative separation of 'native' core *E coli* 30S ribosomal proteins, 607 — Mutants lacking individual ribosomal proteins as a tool to investigate ribosomal properties, 639 — Genetic engineering and overexpression of ribosomal L12 protein genes from three different archaebacteria in *E coli*, 647 — Primary structures of ribosomal proteins from the archaebacterium *Halobacterium marismortui* and the eubacterium *Bacillus stearothermophilus*, 657 — The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679 — Ribosomal protein L4 of *Escherichia coli: in vitro* analysis of L4-mediated attenuation control, 719 — Characterization and primary structure of proteins L28, L33 and L34 from *Bacillus stearothermophilus* ribosomes, 855 — Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
Ribosomal reconstitution — The assembly of prokaryotic ribosomes, 739
Ribosomal RNA — The absence of modified nucleotides affects both *in vitro* assembly and *in vitro* function of the 30S ribosomal subunit of *Escherichia coli*, 789 — Localization of a segment of 16S RNA on the surface of the small ribosomal subunit by immune electron microscopy of complementary oligodeoxynucleotides, 911 — The binding of thiostrepton to 23S ribosomal RNA, 1131 — Binding sites of the antibiotics pactamycin and celesticetin on ribosomal RNAs, 1145
Ribosomal RNA synthesis — Analysis of sequence elements important for the synthesis and control of ribosomal RNA in *E coli*, 699
Ribosomal 5S RNA binding protein L5 — Comparative analysis of ribosomal protein L5 sequences from bacteria of the genus *Thermus*, 669
Ribosomal subunits — *Thermus thermophilus* ribosomes for crystallographic studies, 887
Ribosome — Mutants lacking individual ribosomal proteins as a tool to investigate ribosomal properties, 639 — The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769 — The mitochondrial ribosomes, 813 — The interplay between X-ray crystallography, neutron diffraction, image reconstruction, organo-metallic chemistry and biochemistry in structural studies of ribosomes, 879 — *Thermus thermophilus* ribosomes for crystallographic studies, 887 — Localization of a segment of 16S RNA on the surface of the small ribosomal subunit by immune electron microscopy of complementary oligodeoxynucleotides, 911 — Heterogeneity of *Escherichia coli* ribosomes established by scanning transmission electron microscopy, 919 — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971 — The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089 — Functional aspects of ribosomal proteins, 1093 — Interaction of the release factors with the *Escherichia coli* ribosome: structurally and functionally-important domains, 1113 — Chemical, biochemical and genetic endeavours characterizing the interaction of sparsomycin with the ribosome, 1137 — The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245 — Monovalent cation-dependent reversible phosphorylation of ribosomal protein S8 in growth arrested *Tetrahymena*: kinetics of formation, phosphoamino acids, and phosphopeptides of mono-, and diphosphorylated derivatives of protein S8, 1275 — Overexpression of L7/L12 protein with mutations in its flexible region, 1387 — The interaction between streptomycin and ribosomal RNA, 1431 — Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465 — Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Ribosome assembly — The absence of modified nucleotides affects both *in vitro* assembly and *in vitro* function of the 30S ribosomal subunit of *Escherichia coli*, 789 — Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465
Ribosome–EF–Tu interaction — The influence of tRNA located at the P-site on the turnover of EF-Tu·GTP on ribosomes, 1089
Ribosome evolution — Proteins of mammalian mitochondrial ribosomes, 827
Ribosome function — The absence of modified nucleotides affects both *in vitro* assembly and *in vitro* function of the 30S ribosomal subunit of *Escherichia coli*, 789 — Binding sites of the antibiotics pactamycin and celesticetin on ribosomal RNAs, 1145
Ribosome-inactivating proteins — Conserved amino acid residues in ribosome-inactivating proteins from plants, 1157
Ribosome kinetics — Is there a unique ribosome phenotype for naturally occurring *Escherichia coli*? 1061
Ribosome reconstitution — Lack of complete cooperativity of ribosome assembly *in vitro* and its possible relevance to *in vivo* ribosome assembly and the regulation of ribosomal gene expression, 757 — 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777
Ribosome structure — How does the mRNA pass through the ribosome? 937
RNA binding proteins — RNA binding by the tat and rev proteins of HIV-1, 9
RNA enzyme — Structure and evolution of ribonuclease P RNA, 689
RNA evolution — A phylogenetic study of U4 snRNA reveals

the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
RNA fragments — The binding of thiostrepton to 23S ribosomal RNA, 1131
RNA polymerase — Suppression of defective-sporulation pheniotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
RNA-protein cross-link — RNA-protein interactions in the *Escherichia coli* ribosome, 927
RNA-protein interaction — RNA-protein interactions in the *Escherichia coli* ribosome, 927 — Properties of an abundant RNA-binding protein in yeast mitochondria, 1487
RNA size — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861
RNA splicing — RNA binding by the tat and rev proteins of HIV-1, 9
RNA structure — Structure and evolution of ribonuclease P RNA, 689
RNase E — The relation between translation and mRNA degradation in the *lacZ* gene, 1533
RNase H — 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777
RNase P — Structure and evolution of ribonuclease P RNA, 689
***rpl*11 gene** — The nuclear:organelle distribution of chloroplast ribosomal proteins genes. Features of a cDNA clone encoding the cytoplasmic precursor of L11, 845
rpoH gene — Regulation of the heat shock reponse in *E coli*: involvement of positive and negative *cis*-acting elements in translational control of σ^{32} synthesis, 1473
rRNA — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971 — A rRNA-mRNA base pairing model for UGA-dependent termination, 1121
rRNA fragmentation — 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777
rRNA functions — 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777
rRNA mutagenesis — Specific structural probing of plasmid-coded ribosomal RNAs from *Escherichia coli*, 1439
rRNA processing — Preribosomal RNA processing in *Xenopus* oocytes does not include cleavage within the external transcribed spacer as an early step, 805
rRNA structure — Specific structural probing of plasmid-coded ribosomal RNAs from *Escherichia coli*, 1439
RuvA, RuvB — Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505

S

5S rDNA — Structure and organization of ribosomal DNA, 631
18S-28S rDNA — Structure and organization of ribosomal DNA, 631
16S ribosomal RNA — The interaction between streptomycin and ribosomal RNA, 1431
30S ribosomal subunits — 30S ribosomal subunits with fragmented 16S RNA: a new approach for structure and function study of ribosomes, 777
40S ribosomal unit — Eukaryotic initiation factors eIF-2 and eIF-3: interactions, structure and localization in ribosomal initiation complexes, 1007
16S rRNA — Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991 — Interaction between 16S ribosomal RNA and ribosomal protein S12 : differential effects of paromomycin and streptomycin, 1493 — Ribosomal RNA and peptidyl-tRNA hydrolase : a peptide chain termination model for lambda bar RNA inhibition, 1573
28S rRNA — On the conformation of the alpha sarcin stem-loop of 28S rRNA, 871
30S subunits — The protein composition of reconstituted 30S ribosomal subunits: the effects of single protein omission, 769
50S subunit of *E coli* ribosomes — Frozen spin targets in ribosomal structure research, 899
16S synergism — Ribosomal RNA and peptidyl-tRNA hydrolase: a peptide chain termination model for lambda bar RNA inhibition, 1573
Saccharomyces cerevisiae — *Saccharomyces cerevisiae* proteins involved in hybrid DNA formation *in vitro*, 269 — Turnover rate of yeast PGK mRNA can be changed by specific alterations in its trailer structure, 729 — Identification of nuclear genes which participate to mitochondrial translation in *Saccharomyces cerevisiae*, 1525
Salmonella typhimurium — Missense substitutions lethal to essential functions of EF-Tu, 1457
α-Sarcin — On the conformation of the alpha sarcin stem-loop of 28S rRNA, 871
20α-SDH activity — 20α-Hydroxysteroid dehydrogenase expression in a murine virus-induced myeloproliferative syndrome, 1351
Secondary structure — A phylogenetic study of U4 snRNA reveals the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
Secondary structure prediction — Towards understanding the glycoprotein hormone receptors, 109
***secY* gene** — Presence of a gene in the archaebacterium *Methanococcus vannielii* homologous to *secY* of eubacteria, 683
Segmentation — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85
Selenocysteine synthase — The function of selenocysteine synthase and SELB in the synthesis and incorporation of selenocysteine, 1481
Self-processing — Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411
Sequence analysis — Towards understanding the glycoprotein hormone receptors, 109
Sequence polymorphism — Avoidance of inter-repeat

recombination by sequence divergence and a mechanism of neutral evolution, 357
Serine protease — Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411
Serratia marcescens — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375
Shuttle vector — Amplification of Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
Single strand DNA — Dynamic light scattering investigations of RecA self-assembly and interactions with single strand DNA, 143
Site-directed mutagenesis — Site-directed mutagenesis and NMR spectroscopic approaches to the elucidation of the structure–function relationships in translation initiation factors IF1 and IF3, 1001 — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037 — Structure-function relationships of elongation factor Tu as studied by mutagenesis, 1051
Skeletal muscle — Glucose transporters: structure, function, and regulation, 67 — Calpain 1-protein kinase C complex: effect of calpain inhibitors after dissociation, 1409
Sliding — The remote control of transcription, DNA looping and DNA compaction, 1261
snRNA U4 — A phylogenetic study of U4 snRNA reveals the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
Solvent effect — Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611
SOS — Novel SOS phenotypes caused by second-site mutations in the *recA430* gene of *Escherichia coli*, 437
SOS induction — Cloning of the *recA* gene of *Bordetella pertussis* and characterization of its product, 235 — Characterization of *recF* suppressors in *Bacillus subtilis*, 277
SOS-like system — The *recE(A)*$^+$ gene of *Bacillus subtilis* and its gene product: further characterization of this universal protein, 245
SOS mutagenesis — RecA protein in the SOS response: milestones and mysteries, 133 — Mutagenic DNA repair in *Escherichia coli*. XIX.. On the roles of RecA protein in ultraviolet light mutagenesis, 485
SOS pair — Site-directed mutagenesis in the *Escherichia coli recA* gene, 281
SOS regulation — SOS-inducible DNA polymerase II of *E coli* is homologous to replicative DNA polymerase of eukaryotes, 433 — Properties of the *Escherichia coli* RuvA and RuvB proteins involved in DNA repair, recombination and mutagenesis, 505
SOS regulatory system — Mechanism of specific LexA cleavage: autodigestion and the role of RecA coprotease, 411
SOS repair — UV induction of LexA independent proteins which could be involved in SOS repair, 407
SOS response — Repression of the *Escherichia coli recA* gene requires at least two LexA protein monomers, 449 — The promoter of the *recA* gene of *E coli*, 457 — Influence of *recA* mutations on *gyrA* dependent quinolone resistance, 519
SOS system — DNA binding properties of the LexA repressor, 423
Sparsomycin — Chemical, biochemical and genetic endeavours characterizing the interaction of sparsomycin with the ribosome, 1137
Specific activity — Chemical modification studies of *Artocarpus lakoocha* lectin artocarpin, 563
Spin contrast — Frozen spin targets in ribosomal structure research, 899
***Spinacia oleracea* (spinach)** — The nuclear: organelle distribution of chloroplast ribosomal proteins genes. Features of a cDNA clone encoding the cytoplasmic precursor of L11, 845
Spm — Structure and function of the maize *Spm* transposable element, 5
Sporulation — Suppression of defective-sporulation phenotypes by mutations in transcription factor genes of *Bacillus subtilis*, 1163
ssb — Characterization of *recF* suppressors in *Bacillus subtilis*, 277
SSB protein — Biochemical and biological function of *Escherichia coli* RecA protein: behavior of mutant RecA proteins, 289 — A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515
Stomach — Structure and biological activity of crustacean gastrointestinal peptides identified with antibodies to gastrin/cholecystokinin, 1233
Stopped-flow — Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611
Strand exchange — Monoclonal antibodies and mechanistic studies on recA protein, 209 — Co-ordination of multiple DNA molecules in RecA fiber evidenced by linear dichroism spectroscopy, 219 — Biochemical studies of homologous and nonhomologous recombination in human cells, 257 — *Saccharomyces cerevisiae* proteins involved in hybrid DNA formation *in vitro*, 269 — Production of triple-stranded recombination intermediates by RecA protein, *in vitro*, 363
Streptococci — The presence of two forms of the phosphocarrier protein HPr of the phosphoenol-pyruvate:sugar phosphotransferase system in streptococci, 573 — HPr polymorphism in oral streptococci is caused by the partial removal of the N-terminal methionine, 1435
Streptococcus pneumoniae — Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Streptomycin — The interaction between streptomycin and ribosomal RNA, 1431 — Interaction between 16S ribosomal RNA and ribosomal protein S12: differential effects of paromomycin and streptomycin, 1493
Stretch — Mechanogenetic regulation of transcription, 1219
Stringent-growth-rate control — Analysis of sequence elements important for the synthesis and control of ribosomal RNA in *E coli*, 699
Stringent response — How does ppGpp affect translational

accuracy in the stringent response? 599
Structure — Probing the initiation complex formation on *E coli* ribosomes using short complementary DNA oligomers, 971 — Interactions of cholesterol with the membrane lipid matrix. A solid state NMR approach, 1295
Structure/function — New insights into the mitochondrial carnitine palmitoyltransferase enzyme system, 77
Structure probing — Topography of the *Escherichia coli* ribosomal 30S subunit-initiation factor 2 complex, 991
Sugar transport — The presence of two forms of the phosphocarrier protein HPr of the phosphoenolpyruvate: sugar phosphotransferase system in streptococci, 573
Sulfolobus — The structure of the gene for ribosomal protein L5 in the archaebacterium *Sulfolobus acidocaldarius*, 679
***Sulfolobus* ribosome** — The binding site of ribosomal protein L10 in Eubacteria and Archaebacteria is conserved: Reconstitution of chimeric 50S subunits, 797
Superexpression — Superexpression and fast purification of *E coli* initiation factor IF2, 983
Synthetic tRNA — The use of synthetic tRNAs as probes for examining nascent peptides on *Escherichia coli* ribosomes, 1101

T

Tandem duplication — Tandem duplications of the *lac* region of the *Escherichia coli* chromosome, 343
Temperature effect — Preliminary studies on quinoprotein glucose dehydrogenase under extreme conditions of temperature and pressure, 611
Terminators — Positive and negative regulatory elements in the *dnaA-dnaN-recF* operon of *Escherichia coli*, 329
Ternary complex selection — The function of the translating ribosome: allosteric three-site model of elongation, 1067
Tetrahymena — The major pterin in *Tetrahymena pyriformis* is 6-(D-*threo*-1,2,3-trihydroxypropyl)-pterin (D-monapterin) and not 6-(L-*threo*-1,2-dihydroxypropyl)-pterin (ciliapterin), 1281
Thermophilic proteins — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037
***Thermus* strains** — Comparative analysis of ribosomal protein L5 sequences from bacteria of the genus *Thermus*, 669
Thermus thermophilus — *Thermus thermophilus* ribosomes for crystallographic studies, 887 — Overproduction of the *Thermus thermophilus* elongation factor Tu in *Escherichia coli*, 1037
Thio-uridine — Wobble position modified nucleosides evolved to select transfer RNA codon recognition: a modified-wobble hypothesis, 1345
Thiostrepton — The binding of thiostrepton to 23S ribosomal RNA, 1131
Three-site model of ribosomal elongation — The function of the translating ribosome: allosteric three-site model of elongation, 1067
Thrombin — Proteases and their inhibitors: today and tomorrow, 121
Thyrocytes — Glycosyl phosphatidylinositol in thyroid: cell signalling or protein anchor? 37
Thyroid — Activation of the cyclic AMP cascade as an oncogenic mechanism: the thyroid example, 29
Thyrotropin — Glycosyl phosphatidylinositol in thyroid: cell signalling or protein anchor? 37
Tissue specific activation — Positive and negative regulation of gene expression by insulin and glucagon: the model of L-type pyruvate kinase gene, 41
Topology in initiation complexes — Eukaryotic initiation factors eIF-2 and eIF-3: interactions, structure and localization in ribosomal initiation complexes, 1007
Transactivation — RNA binding by the tat and rev proteins of HIV-1, 9
Transcription — Hormonal regulation of liver phosphoenolpyruvate carboxykinase and glucokinase gene expression at weaning in the rat, 71 — FIS-induced bending of a region upstream of the promoter activates transcription of the *E coli thrU (tufB)* operon, 713 — Ribosomal protein L4 of *Escherichia coli: in vitro* analysis of L4-mediated attenuation control, 719 — Promoter activity associated with the left inverted terminal repeat of the killer plasmid k1 from yeast, 1195
Transcription accuracy — Connections between translation, transcription and replication error-rates, 1517
Transcription factor — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85
Transcriptional control — The promoter of the *recA* gene of *Escherichia coli*, 457
Transfer RNA — Functional aspects of ribosomal proteins, 1093
Transformation — Conversion of large heterologies in *Streptococcus pneumoniae*, 353
Transit sequence — The nuclear:organelle distribution of chloroplast ribosomal proteins genes. Features of a cDNA clone encoding the cytoplasmic precursor of L11, 845
Transition state mimetics — Proteases and their inhibitors: today and tomorrow, 121
Translation — Turnover rate of yeast PGK mRNA can be changed by specific alterations in its trailer structure, 729 — The use of synthetic tRNAs as probes for examining nascent peptides on *Escherichia coli* ribosomes, 1101 — The interaction of wheat germ tyrosyl-tRNA synthetase and the tRNA-like end of brome mosaic virus RNA has no effect on *in vitro* viral protein synthesis and on *in vitro* encapsidation, 1269 — UAG readthrough is not increased *in vivo* by Moloney murine leukemia virus infection, 1291 — Missense substitutions lethal to essential functions of EF-Tu, 1457 — Translation and ribosome assembly in extremely thermophilic archaebacteria, 1465 — Identification of nuclear genes which participate to mitochondrial translation in *Saccharomyces cerevisiae*, 1525
Translation accuracy — The interaction between streptomycin and ribosomal RNA, 1431 — Connections between translation, transcription and replication error-rates, 1517

Translation inhibition — Modified oligonucleotides in rabbit reticulocytes: uptake, stability and antisense properties, 1403
Translation initiation — Extragenic suppressors of a translation initiation defect in the *cyc1* gene of *Saccharomyces cerevisiae*, 1445 — The relation between translation and mRNA degradation in the *lacZ* gene, 1533 — Ribosome-mRNA contact sites at different stages of translation initiation as revealed by cross-linking of model mRNAs, 1543
Translation initiation factor 2 — Structural and functional domains of *E coli* initiation factor IF2, 1557
Translational accuracy — How does ppGpp affect translational accuracy in the stringent response? 599 — The interaction between streptomycin and ribosomal RNA, 1431 — Connections between translation, transcription and replication error-rates, 1517
Translational competition — Translational efficiency and competitive ability of mRNAs with 5'-untranslated αβ-leader of potato virus X RNA, 587
Translational enhancement — Translational efficiency and competitive ability of mRNAs with 5'-untranslated αβ-leader of potato virus X RNA, 587
Translational termination — A rRNA-mRNA base pairing model for UGA-dependent termination, 1121
Translocation — The function of the translating ribosome: allosteric three-site model of elongation, 1067
Transpeptidation — The side-by-side model of two tRNA molecules allowing the α-helical conformation of the nascent polypeptide during the ribosomal transpeptidation, 947
Transport — Characterization of an osmoregulated periplasmic glycine betaine-binding protein in *Azospirillum brasilense* sp7, 1187
Transposition — Structure and function of the maize *Spm* transposable element, 5
Triple-stranded intermediates — Production of triple-stranded recombination intermediates by RecA protein, *in vitro*, 363
tRNA — 2'-*O*-methylation and inosine formation in the wobble position of anticodon-substituted tRNA-Phe in a homologous yeast *in vitro* system, 1021 — Aminoacylation of tRNAs as critical step of protein biosynthesis, 1027 — Mutant enzymes and tRNAs as probes of the glutaminyl-tRNA synthetase: $tRNA^{Gln}$ interaction, 1501
tRNA binding — The side-by-side model of two tRNA molecules allowing the α-helical conformation of the nascent polypeptide during the ribosomal transpeptidation, 947 — The function of selenocysteine synthase and SELB in the synthesis and incorporation of selenocysteine, 1481
tRNA identity — Connections between translation, transcription and replication error-rates, 1517
$tRNA^{Leu}$(U*AA) — Sequence of a new $tRNA^{Leu}$(U*AA) from brewer's yeast, 1355
tRNA-like end of viral RNA — The interaction of wheat germ tyrosyl-tRNA synthetase and the tRNA-like end of brome mosaic virus RNA has no effect on *in vitro* viral protein synthesis and on *in vitro* encapsidation, 1269
tRNA ribosome complex — A consonant model of the tRNA-ribosome complex during the elongation cycle of translation, 961
Tryptophan codon — Translation *in vitro* of codon UGA as tryptophan in *Mycoplasma capricolum*, 1109
Tryptophan synthetase — Measurement of translational accuracy *in vivo*: missense reporting using inactive enzyme mutants, 1567
Tyrosyl-tRNA synthetase — The interaction of wheat germ tyrosyl-tRNA synthetase and the tRNA-like end of brome mosaic virus RNA has no effect on *in vitro* viral protein synthesis and on *in vitro* encapsidation, 1269

U

U3 snRNA — Preribosomal RNA processing in *Xenopus* oocytes does not include cleavage within the external transcribed spacer as an early step, 805
U4/U6 complex — A phylogenetic study of U4 snRNA reveals the existence of an evolutionarily conserved secondary structure corresponding to 'free' U4 snRNA, 17
UGA — Translation *in vitro* of codon UGA as tryptophan in *Mycoplasma capricolum*, 1109
UGA suppression — Sequence and functional analysis of mutations in the gene encoding peptide-chain-release factor 2 of *Escherichia coli*, 1509
UGA translation — The function of selenocysteine synthase and SELB in the synthesis and incorporation of selenocysteine, 1481
Ultraviolet light — RecA protein in the SOS response: milestones and mysteries, 133 — Mutagenic DNA repair in *Escherichia coli*. XIX.. On the roles of RecA protein in ultraviolet light mutagenesis, 485
UmuD' formation — A RecA protein mutant deficient in its interaction with the UmuDC complex, 479
UmuD protein — Substitution of UmuD' for UmuD does not affect SOS mutagenesis, 471
umuDC — Different mechanisms for SOS induced alleviation of DNA restriction in *Escherichia coli*, 399
Uniform nomenclature — The primary structure of rat ribosomal proteins P0, P1, and P2 and a proposal for a uniform nomenclature for mammalian and yeast ribosomal proteins, 861
Unknown reading frames — Multiple IS insertion sequences near the replication terminus in *Escherichia coli* K-12, 1361
5'-Untranslated leaders — Properties of an abundant RNA-binding protein in yeast mitochondria, 1487
Upstream activation — Analysis of sequence elements important for the synthesis and control of ribosomal RNA in *E coli*, 699
Ursodeoxycholic acid — Ursodeoxycholic acid (UDCA) in the treatment of chronic cholestatic diseases, 1335
UV induction — Identification of a RecA-like protein in *Lactococcus lactis*, 231
UV irradiation — Tandem duplications of the *lac* region of the *Escherichia coli* chromosome, 343 — Amplification of

Epstein-Barr virus-based shuttle vectors by ultraviolet light in human cells, 509
UV mutagenesis — Substitution of UmuD' for UmuD does not affect SOS mutagenesis, 471
UV radiation — A possible interaction of single-strand binding protein and RecA protein during post-ultraviolet DNA synthesis, 515
UV repair — Overlapping functions of *recD, recJ* and *recN* provide evidence of three epistatic groups of genes in *Escherichia coli* recombination and DNA repair, 313
UV-resistance — The *recA-recBCD* dependent recombination pathways of *Serratia marcescens* and *Proteus mirabilis* in *Escherichia coli:* functions of hybrid enzymes and hybrid pathways, 375

V — W

Virus infection — UAG readthrough is not increased *in vivo* by Moloney murine leukemia virus infection, 1291

Western blot analysis — Identification of a RecA-like protein in *Lactococcus lactis*, 231
White adipose tissue — Glucose transporters: structure, function, and regulation, 67
Wobble nucleoside — Wobble position modified nucleosides evolved to select transfer RNA codon recognition: a modified-wobble hypothesis, 1345

X — Y

X-ray crystallography — The three-dimensional structure of the aspartyl protease from the HIV-1 isolate BRU, 1391
Xenopus laevis — Purification and characterization of a germ cell-specific form of elongation factor 1α (EF-1α) from *Xenopus laevis*, 1249

Yeast — Turnover rate of yeast PGK mRNA can be changed by specific alterations in its trailer structure, 729 — The mitochondrial ribosomes, 813 — The nuclear coded mitoribosomal proteins YmL27 and YmL31 are both essential for mitochondrial function in yeast, 837 — Promoter activity associated with the left inverted terminal repeat of the killer plasmid k1 from yeast, 1195 — The initiation codon AUG binds at a hydrophobic site on yeast 40S ribosomal subunits as revealed by fluorescence studies with bis (1,8-anilinonaphthalenesulfonate), 1245 — Sequence of a new $tRNA^{Leu}$(U*AA) from brewer's yeast, 1355
Yeast mitochondria — Properties of an abundant RNA-binding protein in yeast mitochondria, 1487

Z

Zinc finger — *Krox-20:* a candidate gene for the regulation of pattern formation in the hindbrain, 85